

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW111720\
 Data File : VW017277.D
 Acq On : 17 Nov 2020 11:39
 Operator : SY/VA
 Sample : L4739-14RE
 Misc : 6.90G/10ML/MSVOA W/SOIL
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_W
ClientSampleId :
 GB101RE

Manual Integrations
APPROVED

MMDadoda
 11/19/2020 11:09:04 AM

Quant Time: Nov 18 02:15:43 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM110420S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Nov 18 02:13:37 2020
 Response via : Initial Calibration



TIC: VW017277.D

(26) 1,2-Dichloroethane-d4 (S)

8.409min (+0.098) 0.02ug/L

response 72

Ion	Exp%	Act%
65.00	100	100
67.00	53.70	63.89
51.00	92.10	112.50
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW111720\
 Data File : VW017277.D
 Acq On : 17 Nov 2020 11:39
 Operator : SY/VA
 Sample : L4739-14RE
 Misc : 6.90G/10ML/MSVOA W/SOIL
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GB101RE

Manual Integrations
 APPROVED

MMDadoda
 11/19/2020 11:09:04 AM

Quant Time: Nov 18 02:15:43 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM110420S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Nov 18 02:13:37 2020
 Response via : Initial Calibration



TIC: VW017277.D

(26) 1,2-Dichloroethane-d4 (S)

8.311min (+0.000) 26.69ug/L m

response 99918

Ion	Exp%	Act%
65.00	100	100
67.00	53.70	0.05#
51.00	92.10	0.08#
0.00	0.00	0.00

211/25/2054

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW111720\
 Data File : VW017277.D
 Acq On : 17 Nov 2020 11:39
 Operator : SY/VA
 Sample : L4739-14RE
 Misc : 6.90G/10ML/MSVOA W/SOIL
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GB101RE

Manual Integrations
 APPROVED

MMDadoda
 11/19/2020 11:09:04 AM

Quant Time: Nov 18 03:02:43 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM110420S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Nov 18 02:13:37 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	322542	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	209221	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	47017	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.35	65	84355	20.76	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	83.04%		
7) Chloroethane-d5	2.89	69	75774	24.20	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	96.80%		
10) 1,1-Dichloroethene-d2	4.02	63	123098	16.94	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	67.76%		
20) 2-Butanone-d5	7.08	46	52047	57.29	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	114.58%		
24) Chloroform-d	7.65	84	183185	24.33	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	97.32%		
26) 1,2-Dichloroethane-d4	8.31	65	99918m	26.69	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	106.76%		
29) Benzene-d6	8.28	84	332566	31.21	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	124.84%		
33) 1,2-Dichloropropane-d6	9.27	67	91901	31.18	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	124.72%#		
37) Toluene-d8	10.33	98	266089	26.49	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	105.96%		
38) trans-1,3-Dichloropropene-	10.58	79	35167	26.47	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	105.88%		
39) 2-Hexanone-d5	10.93	63	32643	63.47	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	126.94%		
48) 1,1,2,2-Tetrachloroethane-	12.69	84	55273	21.53	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	86.12%		
61) 1,2-Dichlorobenzene-d4	13.85	152	34466	20.81	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	83.24%		
Target Compounds						
13) Acetone	4.13	43	18829	30.953	ug/L	94
16) Methylene chloride	4.92	84	8906	2.048	ug/L	96
35) Trichloroethene	9.09	95	2773	0.901	ug/L	96
44) Toluene	10.39	91	3822	0.316	ug/L	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW111720\
Data File : VW017277.D
Acq On : 17 Nov 2020 11:39
Operator : SY/VA
Sample : L4739-14RE
Misc : 6.90G/10ML/MSVOA W/SOIL
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleID :
GB101RE

Manual Integrations
APPROVED

MMDadoda
11/19/2020 11:09:04 AM

Quant Time: Nov 18 03:02:43 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM110420S.M
Quant Title : VOC Analysis
QLast Update : Wed Nov 18 02:13:37 2020
Response via : Initial Calibration

