

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW111720\
 Data File : VW017287.D
 Acq On : 17 Nov 2020 15:34
 Operator : SY/VA
 Sample : L4711-20
 Misc : 4.53G/10ML/MSVOA W/SOIL
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0B05

Manual Integrations
 APPROVED

MMDadoda
 11/19/2020 11:09:33 AM

Quant Time: Nov 18 04:15:24 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM110420S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Nov 18 02:13:37 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	422461	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	322865	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	91760	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	96146	18.07	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	72.28%
7) Chloroethane-d5	2.89	69	86525	21.10	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.40%
10) 1,1-Dichloroethene-d2	4.02	63	139606	14.67	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	58.68%
20) 2-Butanone-d5	7.08	46	36557	30.72	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	61.44%
24) Chloroform-d	7.65	84	216454	21.95	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	87.80%
26) 1,2-Dichloroethane-d4	8.30	65	108505	22.13	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	88.52%
29) Benzene-d6	8.28	84	396328	24.11	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	96.44%
33) 1,2-Dichloropropane-d6	9.28	67	115181	25.33	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	101.32%
37) Toluene-d8	10.33	98	351858	22.70	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	90.80%
38) trans-1,3-Dichloropropene-	10.59	79	34563	16.86	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	67.44%
39) 2-Hexanone-d5	10.93	63	24121	30.39	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	60.78%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	73895	18.65	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	74.60%
61) 1,2-Dichlorobenzene-d4	13.86	152	71109	22.00	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	88.00%

Target Compounds					Ovalue
13) Acetone	4.14	43	2362m	2.965 ug/L	
16) Methylene chloride	4.92	84	11570	2.031 ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW111720\
Data File : VW017287.D
Acq On : 17 Nov 2020 15:34
Operator : SY/VA
Sample : L4711-20
Misc : 4.53G/10ML/MSVOA W/SOIL
ALS Vial : 18 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
C0B05

Manual Integrations
APPROVED

MMDadoda
11/19/2020 11:09:33 AM

Quant Time: Nov 18 04:15:24 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM110420S.M
Quant Title : VOC Analysis
QLast Update : Wed Nov 18 02:13:37 2020
Response via : Initial Calibration





#13

Acetone

Concen: 2.965 ug/L m

RT: 4.14 min Scan# 366

Delta R.T. 0.01 min

Lab File: VW017287.D

Acq: 17 Nov 2020 15:34

Tot Ion: 43 Resp: 2362

Ion Ratio Lower Upper

43 100

58 0.0 0.0 69.2

Instrument :

MSVOA_W

ClientSampleId :





C0B05

Manual Integrations

APPROVED

MMDadoda

11/19/2020 11:09:33 AM



#16

Methylene chloride

Concen: 2.031 ug/L

RT: 4.92 min Scan# 495

Delta R.T. 0.00 min

Lab File: VW017287.D

Acq: 17 Nov 2020 15:34

Tgt Ion: 84 Resp: 11570

Ion Ratio Lower Upper

84 100

49 100.5 72.3 134.3

86 57.4 45.1 83.7

