

Data File : VW017392.D
Acq On : 20 Nov 2020 00:20
Operator : SY/VA
Sample : L4794-14
Misc : 5.66G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Nov 20 05:39:59 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 20 04:37:10 2020
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	453718	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	408521	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	184464	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	141875	21.12	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.48%
7) Chloroethane-d5	2.89	69	118868	22.28	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	89.12%
10) 1,1-Dichloroethene-d2	4.02	63	194045	16.51	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	66.04%
20) 2-Butanone-d5	7.08	46	45941	41.65	ug/L	-0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	83.30%
24) Chloroform-d	7.65	84	279361	23.44	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	93.76%
26) 1,2-Dichloroethane-d4	8.31	65	133254	23.14	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	92.56%
29) Benzene-d6	8.27	84	555018	24.10	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	96.40%
33) 1,2-Dichloropropane-d6	9.27	67	150803	24.58	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	98.32%
37) Toluene-d8	10.33	98	529204	24.41	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	97.64%
38) trans-1,3-Dichloropropene-	10.58	79	58505	21.90	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	87.60%
39) 2-Hexanone-d5	10.93	63	35490	43.14	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	86.28%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	106538	22.92	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	91.68%
61) 1,2-Dichlorobenzene-d4	13.85	152	173678	25.50	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	102.00%

Target Compounds					Qvalue
13) Acetone	4.14	43	2041m	2.536 ug/L	
16) Methylene chloride	4.92	84	29469	3.797 ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VW017392.D
Acq On : 20 Nov 2020 00:20
Operator : SY/VA
Sample : L4794-14
Misc : 5.66G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Nov 20 05:39:59 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 20 04:37:10 2020
Response via : Initial Calibration

