

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW111920\
 Data File : VW017358.D
 Acq On : 19 Nov 2020 09:55
 Operator : SY/VA
 Sample : VW1119SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK06

Quant Time: Nov 20 01:29:42 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Nov 20 01:18:11 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	371816	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	334776	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	158685	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	113129	20.55	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.20%
7) Chloroethane-d5	2.90	69	92629	21.18	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.72%
10) 1,1-Dichloroethene-d2	4.02	63	148638	15.44	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	61.76%
20) 2-Butanone-d5	7.08	46	35507	39.28	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	78.56%
24) Chloroform-d	7.65	84	202921	20.77	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	83.08%
26) 1,2-Dichloroethane-d4	8.31	65	101045	21.41	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	85.64%
29) Benzene-d6	8.28	84	409552	21.70	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	86.80%
33) 1,2-Dichloropropane-d6	9.27	67	108957	21.67	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	86.68%
37) Toluene-d8	10.33	98	378689	21.31	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	85.24%
38) trans-1,3-Dichloropropene-	10.58	79	43991	20.10	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	80.40%
39) 2-Hexanone-d5	10.93	63	26830	39.80	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	79.60%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	80452	21.12	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	84.48%
61) 1,2-Dichlorobenzene-d4	13.86	152	133426	22.78	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	91.12%

Target Compounds					Ovalue
16) Methylene chloride	4.93	84	7657	1.204 ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW111920\
Data File : VW017358.D
Acq On : 19 Nov 2020 09:55
Operator : SY/VA
Sample : VW1119SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK06

Quant Time: Nov 20 01:29:42 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 20 01:18:11 2020
Response via : Initial Calibration

