

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW111920\
 Data File : VW017391.D
 Acq On : 19 Nov 2020 23:56
 Operator : SY/VA
 Sample : L4794-13
 Misc : 4.78G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0BD5

Manual Integrations
 APPROVED

MMDadoda
 11/23/2020 1:44:19 PM

Quant Time: Nov 20 05:37:11 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Nov 20 04:37:10 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	426654	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	390927	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	176609	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	136590	21.62	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	86.48%
7) Chloroethane-d5	2.89	69	113139	22.55	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.20%
10) 1,1-Dichloroethene-d2	4.02	63	186675	16.89	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	67.56%
20) 2-Butanone-d5	7.07	46	45632	43.99	ug/L	-0.02
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.98%
24) Chloroform-d	7.65	84	265993	23.73	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	94.92%
26) 1,2-Dichloroethane-d4	8.30	65	130416	24.08	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	96.32%
29) Benzene-d6	8.28	84	527177	23.92	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	95.68%
33) 1,2-Dichloropropane-d6	9.27	67	144641	24.64	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	98.56%
37) Toluene-d8	10.32	98	498945	24.05	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	96.20%
38) trans-1,3-Dichloropropene-	10.58	79	57596	22.53	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	90.12%
39) 2-Hexanone-d5	10.93	63	36378	46.21	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.42%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	107415	24.14	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	96.56%
61) 1,2-Dichlorobenzene-d4	13.85	152	172160	26.41	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	105.64%

Target Compounds					Ovalue
13) Acetone	4.12	43	1656m	2.188 ug/L	
16) Methylene chloride	4.92	84	27209	3.728 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW111920\
Data File : VW017391.D
Acq On : 19 Nov 2020 23:56
Operator : SY/VA
Sample : L4794-13
Misc : 4.78G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0BD5

Manual Integrations
APPROVED

MMDadoda
11/23/2020 1:44:19 PM

Quant Time: Nov 20 05:37:11 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 20 04:37:10 2020
Response via : Initial Calibration

