

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW111920\
Quantitation Report (Qedit)




Data File : VW017384.D
Acq On : 19 Nov 2020 21:12
Operator : SY/VA
Sample : L4751-22
Misc : 4.75G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0AY2

Manual Integrations
APPROVED

MMDadoda
11/23/2020 1:44:05 PM

Quant Time: Nov 20 04:38:35 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 20 04:37:10 2020
Response via : Initial Calibration



(13) Acetone (T)

4.129min (-0.037) 0.50ug/L

response 335

Ion	Exp%	Act%
43.00	100	100
58.00	33.50	231.94#
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW111920\
Quantitation Report (Qedit)




Data File : VW017384.D
Acq On : 19 Nov 2020 21:12
Operator : SY/VA
Sample : L4751-22
Misc : 4.75G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0AY2

Manual Integrations
APPROVED

MMDadoda
11/23/2020 1:44:05 PM

Quant Time: Nov 20 04:38:35 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 20 04:37:10 2020
Response via : Initial Calibration



(13) Acetone (T)

4.129min (-0.037) 3.64ug/L m

> 4/25/2020

response 2435

Ion	Exp%	Act%
43.00	100	100
58.00	33.50	31.91
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW111920\
Quantitation Report (QT Reviewed)

Data File : VW017384.D
Acq On : 19 Nov 2020 21:12
Operator : SY/VA
Sample : L4751-22
Misc : 4.75G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0AY2

Manual Integrations
APPROVED

MMDadoda
11/23/2020 1:44:05 PM

Quant Time: Nov 20 04:53:45 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 20 04:37:10 2020
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	376868	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	321585	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	125405	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	111839	20.04	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	80.16%		
7) Chloroethane-d5	2.89	69	92051	20.77	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	83.08%		
10) 1,1-Dichloroethene-d2	4.03	63	143645	14.72	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	58.88%		
20) 2-Butanone-d5	7.08	46	25010	27.30	ug/L	-0.01
Spiked Amount 50.000	Range 20 - 135		Recovery =	54.60%		
24) Chloroform-d	7.65	84	200821	20.28	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	81.12%		
26) 1,2-Dichloroethane-d4	8.31	65	97419	20.36	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	81.44%		
29) Benzene-d6	8.28	84	391707	21.61	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	86.44%		
33) 1,2-Dichloropropane-d6	9.27	67	106994	22.15	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	88.60%		
37) Toluene-d8	10.33	98	350278	20.52	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	82.08%		
38) trans-1,3-Dichloropropene-	10.58	79	33854	16.10	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	64.40%		
39) 2-Hexanone-d5	10.93	63	17755	27.42	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	54.84%		
48) 1,1,2,2-Tetrachloroethane-	12.69	84	70289	19.21	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	76.84%		
61) 1,2-Dichlorobenzene-d4	13.86	152	93986	20.30	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	81.20%		

Target Compounds

13) Acetone	4.13	43	2435m	3.642	ug/L	Qvalue
15) Methyl Acetate	4.67	43	4604	3.145	ug/L	# 76
16) Methylene chloride	4.93	84	19477	3.021	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW111920\
Quantitation Report (QT Reviewed)

Data File : VW017384.D
Acq On : 19 Nov 2020 21:12
Operator : SY/VA
Sample : L4751-22
Misc : 4.75G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0AY2

Manual Integrations
APPROVED

MMDadoda
11/23/2020 1:44:05 PM

Quant Time: Nov 20 04:53:45 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 20 04:37:10 2020
Response via : Initial Calibration

