

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW111920\
 Data File : VW017360.D
 Acq On : 19 Nov 2020 10:41
 Operator : SY/VA
 Sample : L4738-23
 Misc : 5.08G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Quant Time: Nov 20 01:42:36 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Nov 20 01:18:11 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	365086	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	336969	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	160103	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	122159	22.60	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.40%
7) Chloroethane-d5	2.89	69	99098	23.08	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	92.32%
10) 1,1-Dichloroethene-d2	4.02	63	162085	17.14	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	68.56%
20) 2-Butanone-d5	7.08	46	38653	43.55	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.10%
24) Chloroform-d	7.65	84	223753	23.33	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	93.32%
26) 1,2-Dichloroethane-d4	8.31	65	113933	24.59	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	98.36%
29) Benzene-d6	8.27	84	449719	23.67	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.68%
33) 1,2-Dichloropropane-d6	9.27	67	121783	24.06	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	96.24%
37) Toluene-d8	10.32	98	428549	23.96	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	95.84%
38) trans-1,3-Dichloropropene-	10.58	79	49297	22.37	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	89.48%
39) 2-Hexanone-d5	10.93	63	30338	44.71	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.42%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	89911	23.45	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	93.80%
61) 1,2-Dichlorobenzene-d4	13.85	152	148597	25.14	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	100.56%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	7816	1.252 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW111920\
Data File : VW017360.D
Acq On : 19 Nov 2020 10:41
Operator : SY/VA
Sample : L4738-23
Misc : 5.08G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK01

Quant Time: Nov 20 01:42:36 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 20 01:18:11 2020
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 1.252 ug/L
 RT: 4.92 min Scan# 495
 Delta R.T. 0.01 min
 Lab File: VW017360.D
 Acq: 19 Nov 2020 10:41

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Tot Ion: 84 Resp: 7816
 Ion Ratio Lower Upper
 84 100
 49 93.7 71.5 132.9
 86 57.5 42.8 79.4

