

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW111920\
 Data File : VW017375.D
 Acq On : 19 Nov 2020 16:33
 Operator : SY/VA
 Sample : L4793-10
 Misc : 4.71G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0BG5

Quant Time: Nov 20 04:01:09 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Nov 20 01:18:11 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	357385	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	320198	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	139190	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	125746	23.77	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	95.08%
7) Chloroethane-d5	2.89	69	103652	24.66	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	98.64%
10) 1,1-Dichloroethene-d2	4.02	63	162273	17.53	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	70.12%
20) 2-Butanone-d5	7.08	46	33004	37.98	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	75.96%
24) Chloroform-d	7.65	84	220645	23.50	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	94.00%
26) 1,2-Dichloroethane-d4	8.31	65	107860	23.78	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	95.12%
29) Benzene-d6	8.27	84	431432	23.90	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	95.60%
33) 1,2-Dichloropropane-d6	9.27	67	117329	24.40	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	97.60%
37) Toluene-d8	10.33	98	397538	23.39	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	93.56%
38) trans-1,3-Dichloropropene-	10.58	79	43727	20.89	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	83.56%
39) 2-Hexanone-d5	10.93	63	25382	39.36	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	78.72%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	84333	23.14	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	92.56%
61) 1,2-Dichlorobenzene-d4	13.85	152	125370	24.40	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.60%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	22658	3.706 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW111920\
Data File : VW017375.D
Acq On : 19 Nov 2020 16:33
Operator : SY/VA
Sample : L4793-10
Misc : 4.71G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0BG5

Quant Time: Nov 20 04:01:09 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 20 01:18:11 2020
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 3.706 ug/L
 RT: 4.92 min Scan# 495
 Delta R.T. 0.01 min
 Lab File: VW017375.D
 Acq: 19 Nov 2020 16:33

Instrument :
 MSVOA_W
 ClientSampleId :
 C0BG5

Tot Ion: 84 Resp: 22658
 Ion Ratio Lower Upper
 84 100
 49 112.7 71.5 132.9
 86 59.8 42.8 79.4

