

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW111920\
 Data File : VW017382.D
 Acq On : 19 Nov 2020 20:04
 Operator : SY/VA
 Sample : VW1119SBL02
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK07

Quant Time: Nov 20 04:45:59 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Nov 20 04:37:10 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	368039	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	330219	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	158187	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	107916	19.81	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.24%
7) Chloroethane-d5	2.89	69	92005	21.26	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.04%
10) 1,1-Dichloroethene-d2	4.01	63	148711	15.60	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	62.40%
20) 2-Butanone-d5	7.08	46	42710	47.73	ug/L	-0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.46%
24) Chloroform-d	7.65	84	222031	22.96	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.84%
26) 1,2-Dichloroethane-d4	8.31	65	113323	24.26	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	97.04%
29) Benzene-d6	8.27	84	439863	23.63	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.52%
33) 1,2-Dichloropropane-d6	9.27	67	118710	23.94	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.76%
37) Toluene-d8	10.33	98	409778	23.38	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	93.52%
38) trans-1,3-Dichloropropene-	10.58	79	50181	23.24	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	92.96%
39) 2-Hexanone-d5	10.93	63	32347	48.64	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	97.28%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	94461	25.14	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	100.56%
61) 1,2-Dichlorobenzene-d4	13.85	152	141866	24.29	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.16%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	15452	2.455 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW111920\
Data File : VW017382.D
Acq On : 19 Nov 2020 20:04
Operator : SY/VA
Sample : VW1119SBL02
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK07

Quant Time: Nov 20 04:45:59 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111820S.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 20 04:37:10 2020
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.455 ug/L
RT: 4.92 min Scan# 495
Delta R.T. -0.00 min
Lab File: VW017382.D
Acq: 19 Nov 2020 20:04

Instrument :
MSVOA_W
ClientSampleId :
VBLK07

Tot Ion: 84 Resp: 15452

Ion	Ratio	Lower	Upper
84	100		
49	108.0	71.5	132.9
86	61.0	42.8	79.4

