

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW112420\
 Data File : VW017470.D
 Acq On : 24 Nov 2020 14:24
 Operator : SY/VA
 Sample : VW1124SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Nov 25 01:53:53 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM112420S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Nov 25 01:45:49 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	402825	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	365622	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	184663	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	129612	24.46	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	97.84%
7) Chloroethane-d5	2.90	69	102020	22.82	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.28%
10) 1,1-Dichloroethene-d2	4.03	63	208884	17.71	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	70.84%
20) 2-Butanone-d5	7.09	46	67539	60.44	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	120.88%
24) Chloroform-d	7.65	84	261468	22.85	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.40%
26) 1,2-Dichloroethane-d4	8.31	65	142309	25.34	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	101.36%
29) Benzene-d6	8.27	84	530267	23.58	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.32%
33) 1,2-Dichloropropane-d6	9.27	67	149088	23.96	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.84%
37) Toluene-d8	10.33	98	488342	23.85	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	95.40%
38) trans-1,3-Dichloropropene-	10.58	79	68309	24.57	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	98.28%
39) 2-Hexanone-d5	10.93	63	48249	62.66	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	125.32%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	122061	27.27	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	109.08%
61) 1,2-Dichlorobenzene-d4	13.85	152	177341	25.94	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	103.76%

Target Compounds

					Ovalue
13) Acetone	4.15	43	2909m	2.705	ug/L
16) Methylene chloride	4.92	84	15236	2.519	ug/L
68) 1,2,4-trichlorobenzene	15.13	180	2135	0.310	ug/L
70) 1,2,3-Trichlorobenzene	15.55	180	2056	0.357	ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW112420\
Data File : VW017470.D
Acq On : 24 Nov 2020 14:24
Operator : SY/VA
Sample : VW1124SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Nov 25 01:53:53 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM112420S.M
Quant Title : VOC Analysis
QLast Update : Wed Nov 25 01:45:49 2020
Response via : Initial Calibration

