

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW120720\
 Data File : VW017582.D
 Acq On : 07 Dec 2020 16:30
 Operator : SY/VA
 Sample : VIBLK21
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Dec 20 03:57:12 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM112420S.M
 Quant Title : VOC Analysis
 QLast Update : Sun Dec 20 03:53:49 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	405103	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	373295	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	183417	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	117582	22.06	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.24%
7) Chloroethane-d5	2.89	69	97711	21.73	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	86.92%
10) 1,1-Dichloroethene-d2	4.02	63	198934	16.77	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	67.08%
20) 2-Butanone-d5	7.09	46	54699	48.67	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	97.34%
24) Chloroform-d	7.65	84	274471	23.85	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.40%
26) 1,2-Dichloroethane-d4	8.31	65	143997	25.50	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	102.00%
29) Benzene-d6	8.28	84	528122	23.01	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.04%
33) 1,2-Dichloropropane-d6	9.27	67	151762	23.89	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.56%
37) Toluene-d8	10.33	98	482377	23.08	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.32%
38) trans-1,3-Dichloropropene-	10.58	79	62955	22.18	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	88.72%
39) 2-Hexanone-d5	10.93	63	36330	46.21	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.42%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	109626	23.99	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	95.96%
61) 1,2-Dichlorobenzene-d4	13.85	152	166359	24.50	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.00%


Target Compounds					Ovalue
13) Acetone	4.12	43	372	0.344 ug/L	66
16) Methylene chloride	4.92	84	53978	8.875 ug/L	97
59) 1,2,3-Trichloropropane	13.56	75	21417	6.827 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW120720\
Data File : VW017582.D
Acq On : 07 Dec 2020 16:30
Operator : SY/VA
Sample : VIBLK21
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Dec 20 03:57:12 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM112420S.M
Quant Title : VOC Analysis
QLast Update : Sun Dec 20 03:53:49 2020
Response via : Initial Calibration





#13

Acetone

Concen: 0.344 ug/L

RT: 4.12 min Scan# 364

Delta R.T. -0.02 min

Lab File: VW017582.D

Acq: 07 Dec 2020 16:30

Instrument :

MSVOA_W





ClientSampled :

Tot Ion: 43 Resp: 372

Ion Ratio Lower Upper

43 100

58 53.5 0.0 68.4



#16

Methylene chloride

Concen: 8.875 ug/L

RT: 4.92 min Scan# 495

Delta R.T. -0.00 min

Lab File: VW017582.D

Acq: 07 Dec 2020 16:30




Tgt Ion: 84 Resp: 53978


Ion Ratio Lower Upper

84 100

49 111.4 81.2 150.8

86 62.1 44.5 82.7





#59

1,2,3-Trichloropropane

Concen: 6.827 ug/L

RT: 13.56 min Scan# 1912

Delta R.T. 0.79 min

Lab File: VW017582.D

Acq: 07 Dec 2020 16:30

Instrument :

MSVOA_W

ClientSampleId :

Tot Ion: 75 Resp: 21417

Ion Ratio Lower Upper

75 100

77 35.6 26.6 39.8

