

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW120720\
 Data File : VW017582.D
 Acq On : 07 Dec 2020 16:30
 Operator : SY/VA
 Sample : VIBLK21
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK21

Quant Time: Dec 20 04:59:08 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM112420S.M
 Quant Title : VOC Analysis
 QLast Update : Sun Dec 20 03:53:49 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	405103	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	373295	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	183417	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	117582	22.06	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.24%
7) Chloroethane-d5	2.89	69	97711	21.73	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	86.92%
10) 1,1-Dichloroethene-d2	4.02	63	198934	16.77	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	67.08%
20) 2-Butanone-d5	7.09	46	54699	48.67	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	97.34%
24) Chloroform-d	7.65	84	274471	23.85	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.40%
26) 1,2-Dichloroethane-d4	8.31	65	143997	25.50	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	102.00%
29) Benzene-d6	8.28	84	528122	23.01	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.04%
33) 1,2-Dichloropropane-d6	9.27	67	151762	23.89	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.56%
37) Toluene-d8	10.33	98	482377	23.08	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.32%
38) trans-1,3-Dichloropropene-	10.58	79	62955	22.18	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	88.72%
39) 2-Hexanone-d5	10.93	63	36330	46.21	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.42%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	109626	23.99	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	95.96%
61) 1,2-Dichlorobenzene-d4	13.85	152	166359	24.50	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.00%

Target Compounds					Ovalue
16) Methylene chloride	4.92	84	53978	8.875 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW120720\
Data File : VW017582.D
Acq On : 07 Dec 2020 16:30
Operator : SY/VA
Sample : VIBLK21
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK21

Quant Time: Dec 20 04:59:08 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM112420S.M
Quant Title : VOC Analysis
QLast Update : Sun Dec 20 03:53:49 2020
Response via : Initial Calibration

