

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW120720\
 Data File : VW017580.D
 Acq On : 07 Dec 2020 15:43
 Operator : SY/VA
 Sample : VIBLK20
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK20

Quant Time: Dec 20 04:56:27 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM112420S.M
 Quant Title : VOC Analysis
 QLast Update : Sun Dec 20 03:53:49 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	352501	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	324865	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	161012	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	104831	22.61	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.44%
7) Chloroethane-d5	2.89	69	88843	22.71	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.84%
10) 1,1-Dichloroethene-d2	4.03	63	178904	17.33	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	69.32%
20) 2-Butanone-d5	7.07	46	58580	59.91	ug/L	-0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	119.82%
24) Chloroform-d	7.65	84	246305	24.60	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	98.40%
26) 1,2-Dichloroethane-d4	8.31	65	132207	26.91	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	107.64%
29) Benzene-d6	8.27	84	471442	23.60	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.40%
33) 1,2-Dichloropropane-d6	9.27	67	135830	24.57	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	98.28%
37) Toluene-d8	10.32	98	422653	23.23	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.92%
38) trans-1,3-Dichloropropene-	10.58	79	60318	24.42	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	97.68%
39) 2-Hexanone-d5	10.93	63	37550	54.88	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	109.76%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	109592	27.55	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	110.20%
61) 1,2-Dichlorobenzene-d4	13.85	152	155391	26.07	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	104.28%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	41572	7.855 ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW120720\
Data File : VW017580.D
Acq On : 07 Dec 2020 15:43
Operator : SY/VA
Sample : VIBLK20
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK20

Quant Time: Dec 20 04:56:27 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM112420S.M
Quant Title : VOC Analysis
QLast Update : Sun Dec 20 03:53:49 2020
Response via : Initial Calibration





#16

Methylene chloride

Concen: 7.855 ug/L

RT: 4.92 min Scan# 494

Delta R.T. -0.01 min

Lab File: VW017580.D

Acq: 07 Dec 2020 15:43

Instrument :

MSVOA_W

ClientSampleId :

VIBLK20



Tot Ion: 84 Resp: 41572

Ion Ratio Lower Upper

84 100

49 124.6 81.2 150.8

86 69.3 44.5 82.7



Abundance

Ion 84.00 (83.70 to 84.70): VW

Ion 49.00 (48.70 to 49.70): VW

Ion 86.00 (85.70 to 86.70): VW

