

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW011620\
 Data File : VW014665.D
 Acq On : 16 Jan 2020 11:50
 Operator : SY/VA
 Sample : L1109-18
 Misc : 5.08G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GASH7

Manual Integrations
 APPROVED

MMDadoda
 1/17/2020 1:58:33 PM

Quant Time: Jan 17 02:37:30 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122719S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jan 17 01:19:13 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	1276765	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	1110472	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	478953	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.35	65	396338	22.02	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	88.08%		
7) Chloroethane-d5	2.89	69	313305	23.63	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	94.52%		
10) 1,1-Dichloroethene-d2	4.01	63	569238m	17.29	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	69.16%		
20) 2-Butanone-d5	7.07	46	155488	36.30	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	72.60%		
24) Chloroform-d	7.65	84	703705	23.96	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	95.84%		
26) 1,2-Dichloroethane-d4	8.30	65	342998	22.50	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	90.00%		
29) Benzene-d6	8.27	84	1519388	25.73	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	102.92%		
33) 1,2-Dichloropropane-d6	9.27	67	450347	25.36	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	101.44%		
37) Toluene-d8	10.32	98	1350960	25.24	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	100.96%		
38) trans-1,3-Dichloropropene-	10.57	79	161779	22.06	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	88.24%		
39) 2-Hexanone-d5	10.92	63	113539	37.40	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	74.80%		
48) 1,1,2,2-Tetrachloroethane-	12.69	84	280640	21.05	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	84.20%		
61) 1,2-Dichlorobenzene-d4	13.85	152	415007	26.30	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	105.20%		
Target Compounds						
13) Acetone	4.12	43	18904	3.188	ug/L	99
16) Methylene chloride	4.91	84	35094	1.686	ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW011620\
Data File : VW014665.D
Acq On : 16 Jan 2020 11:50
Operator : SY/VA
Sample : L1109-18
Misc : 5.08G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GASH7

Manual Integrations
APPROVED

MMDadoda
1/17/2020 1:58:33 PM

Quant Time: Jan 17 02:37:30 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122719S.M
Quant Title : VOC Analysis
QLast Update : Fri Jan 17 01:19:13 2020
Response via : Initial Calibration

