

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW011620\
 Data File : VW014666.D
 Acq On : 16 Jan 2020 12:16
 Operator : SY/VA
 Sample : L1118-08
 Misc : 5.02G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GASJ9

Quant Time: Jan 17 02:42:08 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122719S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jan 17 01:19:13 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	1238070	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	1119221	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	492381	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	392929	22.51	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.04%
7) Chloroethane-d5	2.89	69	312331	24.29	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	97.16%
10) 1,1-Dichloroethene-d2	4.02	63	556971	17.45	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	69.80%
20) 2-Butanone-d5	7.07	46	194891	46.93	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	93.86%
24) Chloroform-d	7.65	84	700812	24.60	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	98.40%
26) 1,2-Dichloroethane-d4	8.30	65	374343	25.33	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	101.32%
29) Benzene-d6	8.27	84	1500961	25.22	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	100.88%
33) 1,2-Dichloropropane-d6	9.27	67	464045	25.93	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	103.72%
37) Toluene-d8	10.32	98	1346312	24.95	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	99.80%
38) trans-1,3-Dichloropropene-	10.58	79	177245	23.98	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	95.92%
39) 2-Hexanone-d5	10.92	63	150250	49.10	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.20%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	340241	25.32	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	101.28%
61) 1,2-Dichlorobenzene-d4	13.85	152	447282	27.57	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	110.28%


Target Compounds					Ovalue
13) Acetone	4.12	43	22405	3.896 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW011620\
Data File : VW014666.D
Acq On : 16 Jan 2020 12:16
Operator : SY/VA
Sample : L1118-08
Misc : 5.02G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GASJ9

Quant Time: Jan 17 02:42:08 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122719S.M
Quant Title : VOC Analysis
QLast Update : Fri Jan 17 01:19:13 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 3.896 ug/L
 RT: 4.12 min Scan# 364
 Delta R.T. 0.01 min
 Lab File: VW014666.D
 Acq: 16 Jan 2020 12:16

Instrument :
 MSVOA_W
 ClientSampleId :
 GASJ9

Tot Ion: 43 Resp: 22405
 Ion Ratio Lower Upper
 43 100
 58 35.3 0.0 64.0

