




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW012725\
Data File : VW031589.D
Acq On : 27 Jan 2025 13:41
Operator : SY/MD
Sample : Q1190-14
Misc : 5.91g/10mL/MSVOA_W/SOIL/A
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A44T3

Manual IntegrationsAPPROVED

Quant Time: Jan 28 00:24:14 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM011025SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Jan 28 00:17:29 2025
Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 01/28/2025
Supervised By :Mahesh Dadoda 01/28/2025



TIC: VW031589.D\data.ms

(13) Acetone (T)

4.356min (+ 0.189) 0.09 ug/L

response 146

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	14.10	14.38
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW012725\
Data File : VW031589.D
Acq On : 27 Jan 2025 13:41
Operator : SY/MD
Sample : Q1190-14
Misc : 5.91g/10mL/MSVOA_W/SOIL/A
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A44T3

Manual IntegrationsAPPROVED

Quant Time: Jan 28 00:24:14 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM011025SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Jan 28 00:17:29 2025
Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 01/28/2025
Supervised By :Mahesh Dadoda 01/28/2025



TIC: VW031589.D\data.ms

(13) Acetone (T)

4.161min (-0.006) 17.01 ug/L m

response 26908

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	14.10	0.08
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW012725\
 Data File : VW031589.D
 Acq On : 27 Jan 2025 13:41
 Operator : SY/MD
 Sample : Q1190-14
 Misc : 5.91g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A44T3

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 01/28/2025
 Supervised By :Mahesh Dadoda 01/28/2025

Quant Time: Jan 28 00:24:14 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM011025SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Jan 28 00:17:29 2025
 Response via : Initial Calibration

Compound	R.T.	Q	Ion	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene	8.843	114		815037	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117		471325	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152		95227	25.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3	2.369	65		276157	21.593	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	86.360%		
7) Chloroethane-d5	2.905	69		214265	23.459	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	93.840%		
11) 1,1-Dichloroethene-d2	4.021	65		120959	21.257	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110		Recovery =	85.040%		
21) 2-Butanone-d5	7.087	46		174556	84.904	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	169.800%#		
24) Chloroform-d	7.648	84		535757	25.399	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150		Recovery =	101.600%		
26) 1,2-Dichloroethane-d4	8.307	65		289901	27.924	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130		Recovery =	111.680%		
32) Benzene-d6	8.276	84		1070528	36.159	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135		Recovery =	144.640%#		
36) 1,2-Dichloropropane-d6	9.270	67		330968	37.863	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120		Recovery =	151.440%#		
41) Toluene-d8	10.319	98		758303	28.373	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130		Recovery =	113.480%		
43) trans-1,3-Dichloroprop...	10.575	79		95992	26.742	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135		Recovery =	106.960%		
47) 2-Hexanone-d5	10.922	63		109650	122.919	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	245.840%#		
56) 1,1,2,2-Tetrachloroeth...	12.690	84		229022	42.843	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120		Recovery =	171.360%#		
66) 1,2-Dichlorobenzene-d4	13.848	152		85150	25.494	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120		Recovery =	101.960%		
Target Compounds							
13) Acetone	4.161	43		26908m	17.006	ug/L	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW012725\
Data File : VW031589.D
Acq On : 27 Jan 2025 13:41
Operator : SY/MD
Sample : Q1190-14
Misc : 5.91g/10mL/MSVOA_W/SOIL/A
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A44T3

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 01/28/2025
Supervised By :Mahesh Dadoda 01/28/2025

Quant Time: Jan 28 00:24:14 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM011025SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Jan 28 00:17:29 2025
Response via : Initial Calibration

