

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW012820\
 Data File : VW014787.D
 Acq On : 28 Jan 2020 15:04
 Operator : SY/VA
 Sample : L1271-15
 Misc : 5.05G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GAT06

Manual Integrations
 APPROVED

MMDadoda
 1/29/2020 11:14:20 AM

Quant Time: Jan 28 16:36:02 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM012720S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jan 28 16:16:16 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	1150508	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	1033120	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	448827	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	462170	25.36	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	101.44%
7) Chloroethane-d5	2.89	69	359990	23.25	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	93.00%
10) 1,1-Dichloroethene-d2	4.01	63	495329	15.02	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	60.08%
20) 2-Butanone-d5	7.07	46	167344	32.34	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	64.68%
24) Chloroform-d	7.64	84	808845	25.47	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	101.88%
26) 1,2-Dichloroethane-d4	8.30	65	375687m	21.97	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	87.88%
29) Benzene-d6	8.27	84	1540911	23.70	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.80%
33) 1,2-Dichloropropane-d6	9.27	67	464817	23.00	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	92.00%
37) Toluene-d8	10.32	98	1359168	23.47	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	93.88%
38) trans-1,3-Dichloropropene-	10.57	79	169496	21.05	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	84.20%
39) 2-Hexanone-d5	10.92	63	117787	31.05	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	62.10%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	279911	17.65	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	70.60%
61) 1,2-Dichlorobenzene-d4	13.85	152	409883	23.30	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	93.20%

Target Compounds				Ovalue
13) Acetone	4.12	43	16390	2.958 ug/L 75
16) Methylene chloride	4.92	84	38070	1.958 ug/L 90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW012820\
Data File : VW014787.D
Acq On : 28 Jan 2020 15:04
Operator : SY/VA
Sample : L1271-15
Misc : 5.05G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GAT06

Manual Integrations
APPROVED

MMDadoda
1/29/2020 11:14:20 AM

Quant Time: Jan 28 16:36:02 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM012720S.M
Quant Title : VOC Analysis
QLast Update : Tue Jan 28 16:16:16 2020
Response via : Initial Calibration

