

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW021020\
 Data File : VW014934.D
 Acq On : 10 Feb 2020 11:21
 Operator : SY/VA
 Sample : L1386-07
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Feb 11 00:33:34 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM020520S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Feb 11 00:31:29 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	756102	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	698765	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	267932	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	327029	26.13	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	104.52%
7) Chloroethane-d5	2.89	69	260343	25.98	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	103.92%
10) 1,1-Dichloroethene-d2	4.28	63	148	0.01	ug/L	0.26
Spiked Amount	25.000	Range	45 - 110	Recovery	=	0.04%#
20) 2-Butanone-d5	7.07	46	171120	48.71	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	97.42%
24) Chloroform-d	7.65	84	589493	27.46	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	109.84%
26) 1,2-Dichloroethane-d4	8.31	65	335658	28.25	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	113.00%
29) Benzene-d6	8.27	84	1174829	26.14	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	104.56%
33) 1,2-Dichloropropane-d6	9.27	67	397678	27.16	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	108.64%
37) Toluene-d8	10.32	98	985151	24.91	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	99.64%
38) trans-1,3-Dichloropropene-	10.57	79	138649	23.98	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	95.92%
39) 2-Hexanone-d5	10.92	63	116450	43.63	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.26%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	266686	24.18	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	96.72%
61) 1,2-Dichlorobenzene-d4	13.85	152	274085	26.38	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	105.52%


Target Compounds					Ovalue
13) Acetone	4.13	43	17547	4.839 ug/L	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW021020\
Data File : VW014934.D
Acq On : 10 Feb 2020 11:21
Operator : SY/VA
Sample : L1386-07
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Feb 11 00:33:34 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM020520S.M
Quant Title : VOC Analysis
QLast Update : Tue Feb 11 00:31:29 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 4.839 ug/L
 RT: 4.13 min Scan# 365
 Delta R.T. 0.01 min
 Lab File: VW014934.D
 Acq: 10 Feb 2020 11:21

Instrument :
 MSVOA_W
 ClientSampleId :

Tot Ion: 43 Resp: 17547
 Ion Ratio Lower Upper
 43 100
 58 24.4 0.0 60.4

