

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW021020\
 Data File : VW014952.D
 Acq On : 10 Feb 2020 19:22
 Operator : SY/VA
 Sample : L1416-09
 Misc : 4.83G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Feb 11 00:35:10 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM020520S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Feb 11 00:31:29 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	775132	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	702133	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	237650	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	226162	17.62	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	70.48%
7) Chloroethane-d5	2.89	69	226927	22.09	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.36%
10) 1,1-Dichloroethene-d2	4.01	63	364540	15.55	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	62.20%
20) 2-Butanone-d5	7.07	46	143497	39.85	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	79.70%
24) Chloroform-d	7.65	84	560658	25.48	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	101.92%
26) 1,2-Dichloroethane-d4	8.31	65	317548	26.07	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	104.28%
29) Benzene-d6	8.27	84	1055638	23.38	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	93.52%
33) 1,2-Dichloropropane-d6	9.27	67	383162	26.04	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	104.16%
37) Toluene-d8	10.32	98	873074	21.97	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	87.88%
38) trans-1,3-Dichloropropene-	10.57	79	114453	19.70	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	78.80%
39) 2-Hexanone-d5	10.92	63	95595	35.64	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	71.28%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	245264	22.14	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	88.56%
61) 1,2-Dichlorobenzene-d4	13.85	152	227752	24.71	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.84%

Target Compounds


					Ovalue
13) Acetone	4.12	43	12862	3.460 ug/L	55
16) Methylene chloride	4.92	84	29261	2.072 ug/L	93
25) Chloroform	7.68	83	8416	0.406 ug/L #	52
42) cis-1,3-Dichloropropene	10.03	75	7947	0.433 ug/L #	80
49) 2-Hexanone	10.93	43	21861	3.673 ug/L #	66
59) 1,2,3-Trichloropropane	13.55	75	37875	4.742 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW021020\
Data File : VW014952.D
Acq On : 10 Feb 2020 19:22
Operator : SY/VA
Sample : L1416-09
Misc : 4.83G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Feb 11 00:35:10 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM020520S.M
Quant Title : VOC Analysis
QLast Update : Tue Feb 11 00:31:29 2020
Response via : Initial Calibration





#13

Acetone

Concen: 3.460 ug/L

RT: 4.12 min Scan# 364

Delta R.T. 0.01 min

Lab File: VW014952.D

Acq: 10 Feb 2020 19:22

Instrument :

MSVOA_W


ClientSampled :

Tot Ion: 43 Resp: 12862

Ion Ratio Lower Upper




43 100

58 5.6 0.0 60.4



Abundance Ion 43.00 (42.70 to 43.70): VW

Ion 58.00 (57.70 to 58.70): VW



#16

Methylene chloride

Concen: 2.072 ug/L

RT: 4.92 min Scan# 494

Delta R.T. 0.00 min

Lab File: VW014952.D

Acq: 10 Feb 2020 19:22


Tgt Ion: 84 Resp: 29261

Ion Ratio Lower Upper

84 100

49 146.8 95.8 177.8



86 60.0 44.2 82.2




Abundance Ion 84.00 (83.70 to 84.70): VW

Ion 49.00 (48.70 to 49.70): VW

Ion 86.00 (85.70 to 86.70): VW









#25
Chloroform
Concen: 0.406 ug/L
RT: 7.68 min Scan# 947
Delta R.T. 0.01 min
Lab File: VW014952.D
Acq: 10 Feb 2020 19:22




Instrument :
MSVOA_W
ClientSampleId :


Tot Ion: 83 Resp: 8416
Ion Ratio Lower Upper
83 100
85 102.6 45.4 84.4#



#42
cis-1,3-Dichloropropene
Concen: 0.433 ug/L
RT: 10.03 min Scan# 1333
Delta R.T. -0.04 min
Lab File: VW014952.D
Acq: 10 Feb 2020 19:22

Tgt Ion: 75 Resp: 7947
Ion Ratio Lower Upper
75 100
77 43.5 22.5 41.9#





#49

2-Hexanone

Concen: 3.673 ug/L

RT: 10.93 min Scan# 1480

Delta R.T. -0.04 min

Lab File: VW014952.D





Acq: 10 Feb 2020 19:22

Instrument :

MSVOA_W

ClientSampleId :

Tot Ion:	43	Resp:	21861
Ion	Ratio	Lower	Upper
43	100		
58	22.0	42.2	63.2#
57	23.9	14.5	21.7#
100	2.0	8.6	12.8#



#59

1,2,3-Trichloropropane

Concen: 4.742 ug/L

RT: 13.55 min Scan# 1911

Delta R.T. 0.79 min

Lab File: VW014952.D

Acq: 10 Feb 2020 19:22

Tgt Ion:	75	Resp:	37875
Ion	Ratio	Lower	Upper
75	100		
77	35.2	25.9	38.9

