

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW030419\
 Data File : VW008962.D
 Acq On : 04 Mar 2019 12:54
 Operator : SY/VA
 Sample : K1601-10
 Misc : 5.10G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Quant Time: Mar 05 15:23:13 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM022019S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 05 05:37:38 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	414806	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	429845	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	225168	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	147450	22.85	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.40%
7) Chloroethane-d5	2.88	69	140068	24.18	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	96.72%
10) 1,1-Dichloroethene-d2	4.01	63	186017	17.33	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	69.32%
20) 2-Butanone-d5	7.08	46	95394	49.58	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	99.16%
24) Chloroform-d	7.65	84	206921	20.63	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	82.52%
26) 1,2-Dichloroethane-d4	8.31	65	151266	25.55	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	102.20%
29) Benzene-d6	8.27	84	488266	23.66	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.64%
33) 1,2-Dichloropropane-d6	9.27	67	146613	24.25	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	97.00%
37) Toluene-d8	10.32	98	496142	24.01	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	96.04%
38) trans-1,3-Dichloropropene-	10.58	79	70778	23.36	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	93.44%
39) 2-Hexanone-d5	10.93	63	78520	47.68	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.36%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	147324	24.27	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	97.08%
61) 1,2-Dichlorobenzene-d4	13.86	152	208780	26.02	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	104.08%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	17985	2.681 ug/L	85


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW030419\
Data File : VW008962.D
Acq On : 04 Mar 2019 12:54
Operator : SY/VA
Sample : K1601-10
Misc : 5.10G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampled :
VHBLK01

Quant Time: Mar 05 15:23:13 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM022019S.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 05 05:37:38 2019
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 2.681 ug/L
 RT: 4.92 min Scan# 495
 Delta R.T. 0.00 min
 Lab File: VW008962.D
 Acq: 04 Mar 2019 12:54

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Tot Ion	Ratio	Lower	Upper
84	100		
49	130.6	79.2	147.0
86	71.7	43.2	80.2

