




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW030422\
 Data File : VW022185.D
 Acq On : 04 Mar 2022 17:15
 Operator : SY/VA
 Sample : N1733-07
 Misc : 5.87g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBRS2

Manual IntegrationsAPPROVED

Quant Time: Mar 05 03:23:55 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM022322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Mar 05 03:21:21 2022
 Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 03/09/2022
 Supervised By :Semsettin Yesilyurt 03/09/2022



TIC: VW022185.D\data.ms

(13) Acetone (T)

4.135min (-0.000) 5.48 ug/L

response 1613

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	34.60	39.99
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW030422\
 Data File : VW022185.D
 Acq On : 04 Mar 2022 17:15
 Operator : SY/VA
 Sample : N1733-07
 Misc : 5.87g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBRS2

Manual IntegrationsAPPROVED

Quant Time: Mar 05 03:23:55 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM022322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Mar 05 03:21:21 2022
 Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 03/09/2022
 Supervised By :Semsettin Yesilyurt 03/09/2022



TIC: VW022185.D\data.ms

(13) Acetone (T)

4.135min (-0.000) 8.51 ug/L m

response 2507

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	34.60	25.73
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW030422\
 Data File : VW022185.D
 Acq On : 04 Mar 2022 17:15
 Operator : SY/VA
 Sample : N1733-07
 Misc : 5.87g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBRS2

Manual IntegrationsAPPROVED

Quant Time: Mar 05 03:23:55 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM022322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Mar 05 03:21:21 2022
 Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 03/09/2022
 Supervised By :Semsettin Yesilyurt 03/09/2022

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	164405	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	149893	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	74153	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	29045	13.545	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	54.160%	
7) Chloroethane-d5	2.885	69	25348	15.024	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	60.080%	
11) 1,1-Dichloroethene-d2	4.013	63	39534	12.039	ug/L	-0.01
Spiked Amount 25.000	Range 45	- 110	Recovery	=	48.160%	
21) 2-Butanone-d5	7.080	46	19038	52.804	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	105.600%	
24) Chloroform-d	7.647	84	75381	20.550	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	82.200%	
26) 1,2-Dichloroethane-d4	8.305	65	38275	20.074	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	80.280%	
32) Benzene-d6	8.275	84	135073	19.362	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	77.440%	
36) 1,2-Dichloropropane-d6	9.275	67	40219	20.760	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	83.040%	
41) Toluene-d8	10.323	98	125258	18.061	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	72.240%	
43) trans-1,3-Dichloroprop...	10.579	79	14744	17.165	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	68.640%	
47) 2-Hexanone-d5	10.927	63	15227	47.789	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	95.580%	
56) 1,1,2,2-Tetrachloroeth...	12.689	84	37783	22.223	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	88.880%	
66) 1,2-Dichlorobenzene-d4	13.847	152	48890	20.527	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	82.120%	
Target Compounds						
13) Acetone	4.135	43	2507m	8.514	ug/L	
20) cis-1,2-Dichloroethene	7.171	96	2559	1.266	ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW030422\
Data File : VW022185.D
Acq On : 04 Mar 2022 17:15
Operator : SY/VA
Sample : N1733-07
Misc : 5.87g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DBRS2

Manual IntegrationsAPPROVED

Reviewed By :Mahesh Dadoda 03/09/2022
Supervised By :Semsettin Yesilyurt 03/09/2022

Quant Time: Mar 05 03:23:55 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM022322SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Mar 05 03:21:21 2022
Response via : Initial Calibration

