

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW030822\
 Data File : VW022219.D
 Acq On : 08 Mar 2022 11:36
 Operator : SY/VA
 Sample : N1816-15
 Misc : 4.58g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBSE0

Manual Integrations
 APPROVED

Reviewed By : Semsettin Yesilyurt 03/10/2022
 Supervised By : Mahesh Dadoda 03/11/2022

Quant Time: Mar 09 00:24:36 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM022322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Mar 09 00:23:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	164722	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	157858	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	77767	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	25637	11.933	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	47.720%		
7) Chloroethane-d5	2.879	69	25132	14.867	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	59.480%		
11) 1,1-Dichloroethene-d2	4.013	63	34454	10.472	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	41.880%#		
21) 2-Butanone-d5	7.074	46	23297	64.492	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	128.980%		
24) Chloroform-d	7.647	84	77595	21.113	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	84.440%		
26) 1,2-Dichloroethane-d4	8.305	65	42366	22.177	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	88.720%		
32) Benzene-d6	8.274	84	134428	18.298	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	73.200%		
36) 1,2-Dichloropropane-d6	9.274	67	42402	20.783	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	83.120%		
41) Toluene-d8	10.323	98	122865	16.822	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	67.280%		
43) trans-1,3-Dichloroprop...	10.579	79	15474	17.105	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	68.440%		
47) 2-Hexanone-d5	10.920	63	19067	56.821	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	113.640%		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	45414	25.363	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	101.440%		
66) 1,2-Dichlorobenzene-d4	13.853	152	56482	22.613	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	90.440%		
Target Compounds					Qvalue	
13) Acetone	4.123	43	1549m	5.250	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW030822\
Data File : VW022219.D
Acq On : 08 Mar 2022 11:36
Operator : SY/VA
Sample : N1816-15
Misc : 4.58g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
DBSE0

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 03/10/2022
Supervised By : Mahesh Dadoda 03/11/2022


Quant Time: Mar 09 00:24:36 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM022322SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Mar 09 00:23:14 2022
Response via : Initial Calibration





#13
 Acetone
 Concen: 5.250 ug/L m
 RT: 4.123 min Scan# 30
 Delta R.T. -0.006 min
 Lab File: VW022219.D
 Acq: 08 Mar 2022 11:36

Instrument :
 MSVOA_W
 ClientSampleId :
 DBSE0



Tgt Ion: 43 Resp: 1549
 Ion Ratio Lower Upper
 43 100
 58 13.4 0.0 69.2

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 03/10/2022
 Supervised By :Mahesh Dadoda 03/11/2022

