

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW030822\
 Data File : VW022225.D
 Acq On : 08 Mar 2022 14:01
 Operator : SY/VA
 Sample : N1816-07
 Misc : 5.73g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBSD4

Quant Time: Mar 09 00:25:37 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM022322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Mar 09 00:23:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	128687	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	123411	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	63628	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	21885	13.039	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	52.160%
7) Chloroethane-d5	2.879	69	21204	16.056	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	64.240%
11) 1,1-Dichloroethene-d2	4.007	63	27342	10.637	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	42.560%#
21) 2-Butanone-d5	7.080	46	24225	85.840	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	171.680%#
24) Chloroform-d	7.653	84	62582	21.797	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	87.200%
26) 1,2-Dichloroethane-d4	8.305	65	35472	23.767	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	95.080%
32) Benzene-d6	8.274	84	103617	18.041	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	72.160%
36) 1,2-Dichloropropane-d6	9.274	67	34183	21.431	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	85.720%
41) Toluene-d8	10.323	98	96220	16.851	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	67.400%
43) trans-1,3-Dichloroprop...	10.579	79	13259	18.748	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	75.000%
47) 2-Hexanone-d5	10.926	63	19628	74.819	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	149.640%#
56) 1,1,2,2-Tetrachloroeth...	12.688	84	43497	31.073	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	124.280%#
66) 1,2-Dichlorobenzene-d4	13.853	152	44183	21.619	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	86.480%
Target Compounds						
13) Acetone	4.117	43	2268	9.840	ug/L	Qvalue 94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW030822\
Data File : VW022225.D
Acq On : 08 Mar 2022 14:01
Operator : SY/VA
Sample : N1816-07
Misc : 5.73g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DBSD4

Quant Time: Mar 09 00:25:37 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM022322SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Mar 09 00:23:14 2022
Response via : Initial Calibration





#13
 Acetone
 Concen: 9.840 ug/L
 RT: 4.117 min Scan# 3
 Delta R.T. -0.012 min
 Lab File: VW022225.D
 Acq: 08 Mar 2022 14:01

Instrument :
 MSVOA_W
 ClientSampleId :
 DBSD4

Tgt Ion: 43 Resp: 2268

Ion	Ratio	Lower	Upper
43	100		
58	31.2	0.0	69.2

