

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW031023\
 Data File : VW025386.D
 Acq On : 10 Mar 2023 10:22
 Operator : SY/MD
 Sample : VW0310SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK469

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 03/13/2023
 Supervised By :Mahesh Dadoda 03/13/2023

Quant Time: Mar 10 23:29:25 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Mar 10 23:28:46 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	845974	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	738684	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	345477	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.362	65	301853	21.460	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	85.840%		
7) Chloroethane-d5	2.899	69	223266	22.059	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	88.240%		
11) 1,1-Dichloroethene-d2	4.027	63	471323	17.349	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	69.400%		
21) 2-Butanone-d5	7.081	46	154461	44.737	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	89.480%		
24) Chloroform-d	7.654	84	558290	22.892	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	91.560%		
26) 1,2-Dichloroethane-d4	8.307	65	308266m	23.550	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	94.200%		
32) Benzene-d6	8.276	84	1198989	23.755	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	95.000%		
36) 1,2-Dichloropropane-d6	9.276	67	374313	23.972	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	95.880%		
41) Toluene-d8	10.324	98	1055470	23.718	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	94.880%		
43) trans-1,3-Dichloroprop...	10.574	79	140255	22.557	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	90.240%		
47) 2-Hexanone-d5	10.922	63	97718	43.521	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	87.040%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	254809	22.274	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	89.080%		
66) 1,2-Dichlorobenzene-d4	13.848	152	319505	24.869	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	99.480%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW031023\
Data File : VW025386.D
Acq On : 10 Mar 2023 10:22
Operator : SY/MD
Sample : VW0310SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK469

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 03/13/2023
Supervised By :Mahesh Dadoda 03/13/2023

Quant Time: Mar 10 23:29:25 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Mar 10 23:28:46 2023
Response via : Initial Calibration

