

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW031424\
 Data File : VW028193.D
 Acq On : 14 Mar 2024 21:01
 Operator : SY/MD
 Sample : P1742-17
 Misc : 4.77g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Mar 15 02:01:52 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM031424SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Mar 15 01:46:51 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	354901	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	324451	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	153865	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	62287	15.000	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	60.000%		
7) Chloroethane-d5	2.899	69	44732	15.419	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	61.680%		
11) 1,1-Dichloroethene-d2	4.021	65	41477	15.751	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	63.000%		
21) 2-Butanone-d5	7.069	46	48807	39.851	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	79.700%		
24) Chloroform-d	7.654	84	185052	17.683	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	70.720%		
26) 1,2-Dichloroethane-d4	8.307	65	106482	18.464	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	73.840%		
32) Benzene-d6	8.270	84	351452	17.742	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	70.960%		
36) 1,2-Dichloropropane-d6	9.270	67	104380	18.310	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	73.240%		
41) Toluene-d8	10.325	98	324896	17.782	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	71.120%		
43) trans-1,3-Dichloroprop...	10.575	79	46300	17.883	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	71.520%		
47) 2-Hexanone-d5	10.922	63	38078	40.411	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	80.820%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	80645	19.151	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	76.600%		
66) 1,2-Dichlorobenzene-d4	13.848	152	107202	19.126	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	76.520%		
Target Compounds						Qvalue
39) cis-1,3-Dichloropropene	10.032	75	3613	0.442	ug/L	# 69
46) Tetrachloroethene	10.861	164	1829	0.407	ug/L	83


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW031424\
Data File : VW028193.D
Acq On : 14 Mar 2024 21:01
Operator : SY/MD
Sample : P1742-17
Misc : 4.77g/10mL/MSVOA_W/SOIL/A
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Mar 15 02:01:52 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM031424SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Mar 15 01:46:51 2024
Response via : Initial Calibration





#39

cis-1,3-Dichloropropene

Concen: 0.442 ug/L

RT: 10.032 min Scan# 14

Delta R.T. -0.042 min

Lab File: VW028193.D

Acq: 14 Mar 2024 21:01

Instrument :

MSVOA_W





ClientSampleId :

Tgt Ion: 75 Resp: 3613

Ion Ratio Lower Upper

75 100

77 49.2 22.5 41.7#



#46

Tetrachloroethene

Concen: 0.407 ug/L

RT: 10.861 min Scan# 1472

Delta R.T. 0.000 min

Lab File: VW028193.D

Acq: 14 Mar 2024 21:01

Tgt Ion:164 Resp: 1829

Ion Ratio Lower Upper

164 100

129 90.8 64.0 119.0

131 73.7 62.6 116.3

166 89.0 84.7 157.3

