

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW031623\
 Data File : VW025399.D
 Acq On : 16 Mar 2023 17:18
 Operator : SY/MD
 Sample : 01927-06
 Misc : 5.37g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DCAQ2

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 03/17/2023
 Supervised By :Mahesh Dadoda 03/17/2023

Quant Time: Mar 17 01:37:51 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Mar 17 01:35:38 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	959665	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	704902	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	214019	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.362	65	217292	13.618	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	54.480%
7) Chloroethane-d5	2.899	69	209737	18.268	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	73.080%
11) 1,1-Dichloroethene-d2	4.021	63	432861	14.045	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	56.200%
21) 2-Butanone-d5	7.075	46	155232	39.634	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	79.260%
24) Chloroform-d	7.648	84	611090	22.088	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	88.360%
26) 1,2-Dichloroethane-d4	8.306	65	340867m	22.955	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	91.840%
32) Benzene-d6	8.276	84	1242031	25.787	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	103.160%
36) 1,2-Dichloropropane-d6	9.276	67	396832	26.632	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	106.520%
41) Toluene-d8	10.324	98	1031126	24.281	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	97.120%
43) trans-1,3-Dichloroprop...	10.574	79	122084	20.576	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	82.320%
47) 2-Hexanone-d5	10.922	63	80253	37.455	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	74.920%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	242248	22.191	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	88.760%
66) 1,2-Dichlorobenzene-d4	13.848	152	176315	22.153	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	88.600%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW031623\
Data File : VW025399.D
Acq On : 16 Mar 2023 17:18
Operator : SY/MD
Sample : 01927-06
Misc : 5.37g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DCAQ2

Quant Time: Mar 17 01:37:51 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Mar 17 01:35:38 2023
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 03/17/2023
Supervised By :Mahesh Dadoda 03/17/2023

