

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW031623\
 Data File : VW025396.D
 Acq On : 16 Mar 2023 16:06
 Operator : SY/MD
 Sample : 01927-07
 Misc : 3.77g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DCAQ3

Manual Integrations
 APPROVED

Reviewed By : Semsettin Yesilyurt 03/17/2023
 Supervised By : Mahesh Dadoda 03/17/2023

Quant Time: Mar 17 01:37:13 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Mar 17 01:35:38 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	917064	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	764887	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	317255	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	192430	12.620	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	50.480%		
7) Chloroethane-d5	2.899	69	179786	16.386	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	65.560%		
11) 1,1-Dichloroethene-d2	4.021	63	386074	13.109	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	52.440%		
21) 2-Butanone-d5	7.075	46	160425m	42.863	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	85.720%		
24) Chloroform-d	7.648	84	536339	20.287	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	81.160%		
26) 1,2-Dichloroethane-d4	8.307	65	302791	21.338	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	85.360%		
32) Benzene-d6	8.276	84	1130385	21.628	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	86.520%		
36) 1,2-Dichloropropane-d6	9.276	67	357299	22.098	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	88.400%		
41) Toluene-d8	10.325	98	975502	21.170	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	84.680%		
43) trans-1,3-Dichloroprop...	10.575	79	133322	20.708	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	82.840%		
47) 2-Hexanone-d5	10.922	63	94996	40.859	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	81.720%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	253684	21.416	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	85.680%		
66) 1,2-Dichlorobenzene-d4	13.848	152	263954	22.373	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	89.480%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW031623\
Data File : VW025396.D
Acq On : 16 Mar 2023 16:06
Operator : SY/MD
Sample : 01927-07
Misc : 3.77g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DCAQ3

Quant Time: Mar 17 01:37:13 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Mar 17 01:35:38 2023
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 03/17/2023
Supervised By :Mahesh Dadoda 03/17/2023

