




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032023\
 Data File : VW025437.D
 Acq On : 20 Mar 2023 12:50
 Operator : SY/MD
 Sample : 01977-20
 Misc : 7.65g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EYGA5

Manual IntegrationsAPPROVED

Quant Time: Mar 20 23:52:21 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Mar 20 23:49:37 2023
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 03/21/2023
 Supervised By :Mahesh Dadoda 03/21/2023



TIC: VW025437.D\data.ms

(11) 1,1-Dichloroethene-d2 (S)

3.777min (-0.244) 0.01 ug/L

response 168

Ion	Exp%	Act%
63.00	100.00	100.00
98.00	66.90	80.36
65.00	23.70	21.43
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032023\
Data File : VW025437.D
Acq On : 20 Mar 2023 12:50
Operator : SY/MD
Sample : 01977-20
Misc : 7.65g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EYGA5

Manual IntegrationsAPPROVED

Quant Time: Mar 20 23:52:21 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
Quant Title : SFAM01.0
QLast Update : Mon Mar 20 23:49:37 2023
Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 03/21/2023
Supervised By :Mahesh Dadoda 03/21/2023



TIC: VW025437.D\data.ms

(11) 1,1-Dichloroethene-d2 (S)

4.021min (+ 0.000) 12.87 ug/L m

response 350445

Ion	Exp%	Act%
63.00	100.00	100.00
98.00	66.90	0.04#
65.00	23.70	0.01#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032023\
 Data File : VW025437.D
 Acq On : 20 Mar 2023 12:50
 Operator : SY/MD
 Sample : 01977-20
 Misc : 7.65g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EYGA5

Manual IntegrationsAPPROVED

Quant Time: Mar 20 23:52:21 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Mar 20 23:49:37 2023
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 03/21/2023
 Supervised By :Mahesh Dadoda 03/21/2023

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	847735	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	668496	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	206986	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	163962	11.632	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	46.520%	
7) Chloroethane-d5	2.899	69	161116	15.886	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	63.560%	
11) 1,1-Dichloroethene-d2	4.021	63	350445m	12.873	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	51.480%	
21) 2-Butanone-d5	7.075	46	274024	79.202	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	158.400%#	
24) Chloroform-d	7.648	84	515873	21.109	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	84.440%	
26) 1,2-Dichloroethane-d4	8.307	65	337254	25.711	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	102.840%	
32) Benzene-d6	8.276	84	1049836	22.984	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	91.920%	
36) 1,2-Dichloropropane-d6	9.276	67	358144	25.345	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	101.360%	
41) Toluene-d8	10.325	98	871131	21.630	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	86.520%	
43) trans-1,3-Dichloroprop...	10.575	79	149499	26.569	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	106.280%	
47) 2-Hexanone-d5	10.922	63	184668	90.881	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	181.760%#	
56) 1,1,2,2-Tetrachloroeth...	12.690	84	337805	32.630	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	130.520%#	
66) 1,2-Dichlorobenzene-d4	13.849	152	174995	22.735	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	90.920%	
Target Compounds						
13) Acetone	4.119	43	34663	10.422	ug/L	Qvalue 94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032023\
Data File : VW025437.D
Acq On : 20 Mar 2023 12:50
Operator : SY/MD
Sample : 01977-20
Misc : 7.65g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EYGA5

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 03/21/2023
Supervised By :Mahesh Dadoda 03/21/2023

Quant Time: Mar 20 23:52:21 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
Quant Title : SFAM01.0
QLast Update : Mon Mar 20 23:49:37 2023
Response via : Initial Calibration

