




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032023\
 Data File : VW025450.D
 Acq On : 20 Mar 2023 18:01
 Operator : SY/MD
 Sample : 01979-08
 Misc : 7.16g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EYGB3

Manual IntegrationsAPPROVED

Quant Time: Mar 20 23:55:02 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Mar 20 23:49:37 2023
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 03/21/2023
 Supervised By :Mahesh Dadoda 03/21/2023



TIC: VW025450.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.038min (-0.268) 0.01 ug/L

response 124

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	53.30	66.13
51.00	111.10	79.03
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032023\
 Data File : VW025450.D
 Acq On : 20 Mar 2023 18:01
 Operator : SY/MD
 Sample : 01979-08
 Misc : 7.16g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EYGB3

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 03/21/2023
 Supervised By :Mahesh Dadoda 03/21/2023

Quant Time: Mar 20 23:55:02 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Mar 20 23:49:37 2023
 Response via : Initial Calibration



TIC: VW025450.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.307min (-0.000) 22.79 ug/L m

response 362374

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	53.30	0.02#
51.00	111.10	0.03#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032023\
 Data File : VW025450.D
 Acq On : 20 Mar 2023 18:01
 Operator : SY/MD
 Sample : 01979-08
 Misc : 7.16g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EYGB3

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 03/21/2023
 Supervised By :Mahesh Dadoda 03/21/2023

Quant Time: Mar 20 23:55:02 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Mar 20 23:49:37 2023
 Response via : Initial Calibration

Compound	R.T.	Q	Ion	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene	8.843	114		1027794	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117		945696	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152		447157	25.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3	2.363	65		174679	10.222	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	40.880%		
7) Chloroethane-d5	2.893	69		168468	13.701	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	54.800%		
11) 1,1-Dichloroethene-d2	4.021	63		375928	11.389	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110		Recovery =	45.560%		
21) 2-Butanone-d5	7.075	46		253617	60.462	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	120.920%		
24) Chloroform-d	7.648	84		571973	19.304	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150		Recovery =	77.200%		
26) 1,2-Dichloroethane-d4	8.307	65		362374m	22.786	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130		Recovery =	91.160%		
32) Benzene-d6	8.276	84		1174462	18.175	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135		Recovery =	72.720%		
36) 1,2-Dichloropropane-d6	9.276	67		394396	19.729	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120		Recovery =	78.920%		
41) Toluene-d8	10.319	98		1045462	18.350	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130		Recovery =	73.400%		
43) trans-1,3-Dichloroprop...	10.575	79		164496	20.665	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135		Recovery =	82.640%		
47) 2-Hexanone-d5	10.922	63		175866	61.180	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	122.360%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84		366957	25.056	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120		Recovery =	100.240%		
66) 1,2-Dichlorobenzene-d4	13.848	152		353046	21.231	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120		Recovery =	84.920%		
Target Compounds							
						Qvalue	
13) Acetone	4.118	43		130289	32.311	ug/L	100
15) Methyl Acetate	4.667	43		65601	8.672	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032023\
Data File : VW025450.D
Acq On : 20 Mar 2023 18:01
Operator : SY/MD
Sample : 01979-08
Misc : 7.16g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EYGB3

Manual IntegrationsAPPROVED

Quant Time: Mar 20 23:55:02 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
Quant Title : SFAM01.0
QLast Update : Mon Mar 20 23:49:37 2023
Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 03/21/2023
Supervised By :Mahesh Dadoda 03/21/2023

