

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032023\
 Data File : VW025442.D
 Acq On : 20 Mar 2023 14:50
 Operator : SY/MD
 Sample : 01977-06
 Misc : 7.30g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EYG92

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 03/21/2023
 Supervised By :Mahesh Dadoda 03/21/2023

Quant Time: Mar 20 23:53:31 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Mar 20 23:49:37 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	1031030	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	902470	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	365034	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	197878	11.543	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	46.160%		
7) Chloroethane-d5	2.899	69	188501	15.282	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	61.120%		
11) 1,1-Dichloroethene-d2	4.021	63	414855	12.529	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	50.120%		
21) 2-Butanone-d5	7.069	46	274932	65.337	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	130.680%		
24) Chloroform-d	7.648	84	613145	20.629	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	82.520%		
26) 1,2-Dichloroethane-d4	8.307	65	386472m	24.225	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	96.880%		
32) Benzene-d6	8.276	84	1268789	20.575	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	82.320%		
36) 1,2-Dichloropropane-d6	9.270	67	425817	22.321	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	89.280%		
41) Toluene-d8	10.319	98	1125228	20.696	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	82.800%		
43) trans-1,3-Dichloroprop...	10.575	79	175191	23.063	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	92.240%		
47) 2-Hexanone-d5	10.922	63	186707	68.062	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	136.120%#		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	382972	27.402	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	109.600%		
66) 1,2-Dichlorobenzene-d4	13.848	152	300913	22.167	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	88.680%		
Target Compounds					Qvalue	
13) Acetone	4.119	43	160034	39.563	ug/L	98
22) 2-Butanone	7.173	43	32737	6.256	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032023\
Data File : VW025442.D
Acq On : 20 Mar 2023 14:50
Operator : SY/MD
Sample : 01977-06
Misc : 7.30g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
EYG92

Quant Time: Mar 20 23:53:31 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
Quant Title : SFAM01.0
QLast Update : Mon Mar 20 23:49:37 2023
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 03/21/2023
Supervised By :Mahesh Dadoda 03/21/2023





#13
Acetone
Concen: 39.563 ug/L
RT: 4.119 min Scan# 30
Delta R.T. -0.006 min
Lab File: VW025442.D
Acq: 20 Mar 2023 14:50




Instrument :
MSVOA_W
ClientSampleId :
EYG92



Tgt Ion: 43 Resp: 160034
Ion Ratio Lower Upper
43 100
58 28.9 0.0 60.0

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 03/21/2023
Supervised By :Mahesh Dadoda 03/21/2023



#22
2-Butanone
Concen: 6.256 ug/L
RT: 7.173 min Scan# 867
Delta R.T. 0.006 min
Lab File: VW025442.D
Acq: 20 Mar 2023 14:50

Tgt Ion: 43 Resp: 32737
Ion Ratio Lower Upper
43 100
72 21.8 12.0 36.1

