

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032123\
 Data File : VW025466.D
 Acq On : 21 Mar 2023 14:16
 Operator : SY/MD
 Sample : 01979-13
 Misc : 7.53g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EYGB8

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 03/22/2023
 Supervised By :Mahesh Dadoda 03/22/2023

Quant Time: Mar 22 01:34:10 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Mar 22 01:30:00 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	872821	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	810729	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.550	152	373556	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	177609	12.238	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	48.960%		
7) Chloroethane-d5	2.899	69	177903	17.037	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	68.160%		
11) 1,1-Dichloroethene-d2	4.021	63	385428	13.751	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	55.000%		
21) 2-Butanone-d5	7.075	46	315033	88.438	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	176.880%#		
24) Chloroform-d	7.648	84	584087	23.213	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	92.840%		
26) 1,2-Dichloroethane-d4	8.307	65	378774m	28.046	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	112.200%		
32) Benzene-d6	8.276	84	1195927	21.589	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	86.360%		
36) 1,2-Dichloropropane-d6	9.276	67	407346	23.769	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	95.080%		
41) Toluene-d8	10.325	98	1061438	21.732	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	86.920%		
43) trans-1,3-Dichloroprop...	10.575	79	174696	25.600	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	102.400%		
47) 2-Hexanone-d5	10.922	63	222533	90.302	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	180.600%#		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	421439	33.566	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	134.280%#		
66) 1,2-Dichlorobenzene-d4	13.849	152	357377	25.726	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	102.920%		
Target Compounds					Qvalue	
13) Acetone	4.125	43	22968	6.707	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032123\
Data File : VW025466.D
Acq On : 21 Mar 2023 14:16
Operator : SY/MD
Sample : 01979-13
Misc : 7.53g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EYGB8

Quant Time: Mar 22 01:34:10 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Mar 22 01:30:00 2023
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 03/22/2023
Supervised By :Mahesh Dadoda 03/22/2023

