

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032123\
 Data File : VW025473.D
 Acq On : 21 Mar 2023 17:04
 Operator : SY/MD
 Sample : VIBLK425
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK425

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 03/22/2023
 Supervised By :Mahesh Dadoda 03/22/2023

Quant Time: Mar 22 01:35:50 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Mar 22 01:30:00 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	730751	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	654856	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	303565	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	223647	18.407	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	73.640%		
7) Chloroethane-d5	2.893	69	175757	20.104	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	80.400%		
11) 1,1-Dichloroethene-d2	4.027	63	367567	15.663	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	62.640%		
21) 2-Butanone-d5	7.075	46	159938	53.628	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	107.260%		
24) Chloroform-d	7.648	84	485451m	23.044	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	92.160%		
26) 1,2-Dichloroethane-d4	8.301	65	278571m	24.637	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	98.560%		
32) Benzene-d6	8.270	84	1015482	22.694	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	90.760%		
36) 1,2-Dichloropropane-d6	9.270	67	326798	23.608	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	94.440%		
41) Toluene-d8	10.319	98	874527	22.167	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	88.680%		
43) trans-1,3-Dichloroprop...	10.575	79	120908	21.935	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	87.720%		
47) 2-Hexanone-d5	10.922	63	101111	50.796	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	101.600%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	249644	24.616	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	98.480%		
66) 1,2-Dichlorobenzene-d4	13.848	152	282550	25.029	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	100.120%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032123\
Data File : VW025473.D
Acq On : 21 Mar 2023 17:04
Operator : SY/MD
Sample : VIBLK425
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK425

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 03/22/2023
Supervised By : Mahesh Dadoda 03/22/2023

Quant Time: Mar 22 01:35:50 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Mar 22 01:30:00 2023
Response via : Initial Calibration

