

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032124\
 Data File : VW028224.D
 Acq On : 21 Mar 2024 16:22
 Operator : SY/MD
 Sample : VIBLK
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Mar 22 01:32:22 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM031424SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Mar 22 01:31:33 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	208627	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	186470	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.550	152	91343	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	49136	20.129	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.520%
7) Chloroethane-d5	2.899	69	37833	22.184	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.720%
11) 1,1-Dichloroethene-d2	4.021	65	34018	21.976	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	87.920%
21) 2-Butanone-d5	7.087	46	28864	40.091	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	80.180%
24) Chloroform-d	7.648	84	152661	24.815	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	99.280%
26) 1,2-Dichloroethane-d4	8.398	65	85	0.025	ug/L	0.09
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.120%#
32) Benzene-d6	8.276	84	299651	26.320	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	105.280%
36) 1,2-Dichloropropane-d6	9.276	67	84610	25.825	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	103.320%
41) Toluene-d8	10.325	98	272884	25.987	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	103.960%
43) trans-1,3-Dichloroprop...	10.581	79	33900	22.782	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	91.120%
47) 2-Hexanone-d5	10.922	63	22546	41.632	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	83.260%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	54272	22.425	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	89.720%
66) 1,2-Dichlorobenzene-d4	13.848	152	87685	26.352	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	105.400%
Target Compounds						Qvalue
37) 1,2-Dichloropropane	9.276	63	10594	3.610	ug/L #	85


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032124\
Data File : VW028224.D
Acq On : 21 Mar 2024 16:22
Operator : SY/MD
Sample : VIBLK
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Mar 22 01:32:22 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM031424SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Mar 22 01:31:33 2024
Response via : Initial Calibration





#37
1,2-Dichloropropane
Concen: 3.610 ug/L
RT: 9.276 min Scan# 11
Delta R.T. -0.091 min
Lab File: VW028224.D
Acq: 21 Mar 2024 16:22

Instrument :
MSVOA_W
ClientSampleId :

Tgt Ion: 63 Resp: 10594
Ion Ratio Lower Upper
63 100
112 0.0 3.8 5.8#

