

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032319\
 Data File : VW009412.D
 Acq On : 24 Mar 2019 01:44
 Operator : SY/VA
 Sample : K2031-04
 Misc : 5.34G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF5T9

Quant Time: Mar 24 04:32:13 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 23 23:52:05 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	391337	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	376451	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	153578	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	88719	18.97	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	75.88%
7) Chloroethane-d5	2.89	69	96028	17.55	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	70.20%
10) 1,1-Dichloroethene-d2	4.01	63	144499	14.30	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	57.20%
20) 2-Butanone-d5	7.07	46	88040	45.52	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.04%
24) Chloroform-d	7.64	84	242149	22.67	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	90.68%
26) 1,2-Dichloroethane-d4	8.31	65	155077	24.10	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	96.40%
29) Benzene-d6	8.27	84	432835	20.85	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	83.40%
33) 1,2-Dichloropropane-d6	9.27	67	142041	22.78	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	91.12%
37) Toluene-d8	10.32	98	371543	19.35	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	77.40%
38) trans-1,3-Dichloropropene-	10.58	79	58930	18.82	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	75.28%
39) 2-Hexanone-d5	10.93	63	66499	44.03	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.06%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	143857	23.43	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	93.72%
61) 1,2-Dichlorobenzene-d4	13.85	152	135678	23.04	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	92.16%

Target Compounds					Ovalue
16) Methylene chloride	4.92	84	18101	3.172 ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW032319\
Data File : VW009412.D
Acq On : 24 Mar 2019 01:44
Operator : SY/VA
Sample : K2031-04
Misc : 5.34G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF5T9

Quant Time: Mar 24 04:32:13 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 23 23:52:05 2019
Response via : Initial Calibration

