


Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032319\
Data File : VW009388.D
Acq On : 23 Mar 2019 14:12
Operator : SY/VA
Sample : K2048-16
Misc : 6.14G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampled :
BF0F8

Manual Integrations
APPROVED

MMDadoda
3/25/2019 8:33:27 AM

Quant Time: Mar 23 23:30:19 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 23 22:42:53 2019
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032319\
 Data File : VW009388.D
 Acq On : 23 Mar 2019 14:12
 Operator : SY/VA
 Sample : K2048-16
 Misc : 6.14G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF0F8

Manual Integrations
 APPROVED

MMDadoda
 3/25/2019 8:33:27 AM

Quant Time: Mar 23 22:48:00 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 23 22:42:53 2019
 Response via : Initial Calibration



TIC: VW009388.D

(16) Methylene chloride (T)

4.909min (-0.000) 0.96ug/L

response 5319

Ion	Exp%	Act%
84.00	100	100
49.00	137.10	123.74
86.00	63.50	61.94
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032319\
Data File : VW009388.D
Acq On : 23 Mar 2019 14:12
Operator : SY/VA
Sample : K2048-16
Misc : 6.14G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF0F8

Manual Integrations
APPROVED

MMDadoda
3/25/2019 8:33:27 AM

Quant Time: Mar 23 22:48:00 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 23 22:42:53 2019
Response via : Initial Calibration



TIC: VW009388.D

(16) Methylene chloride (T)

4.909min (-0.000) 2.06ug/L m

response 11487

Ion	Exp%	Act%
84.00	100	100
49.00	137.10	123.74
86.00	63.50	61.94
0.00	0.00	0.00

7 MP
4/5/19

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032319\
 Data File : VW009388.D
 Acq On : 23 Mar 2019 14:12
 Operator : SY/VA
 Sample : K2048-16
 Misc : 6.14G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleID :
 BF0F8

Manual Integrations
 APPROVED

MMDadoda
 3/25/2019 8:33:27 AM

Quant Time: Mar 23 23:15:56 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 23 22:42:53 2019
 Response via : Initial Calibration



TIC: VW009388.D

(26) 1,2-Dichloroethane-d4 (S)

8.457min (+0.152) 0.02ug/L

response 108

Ion	Exp%	Act%
65.00	100	100
67.00	50.80	65.74
51.00	97.70	70.37
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032319\
Data File : VW009388.D
Acq On : 23 Mar 2019 14:12
Operator : SY/VA
Sample : K2048-16
Misc : 6.14G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF0F8

Manual Integrations
APPROVED

MMDadoda
3/25/2019 8:33:27 AM

Quant Time: Mar 23 23:15:56 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 23 22:42:53 2019
Response via : Initial Calibration



TIC: VW009388.D

(26) 1,2-Dichloroethane-d4 (S)

8.305min (-0.000) 23.36ug/L m

response 146646

Ion Exp% Act%

65.00 100 100

67.00 50.80 0.05#

51.00 97.70 0.05#

0.00 0.00 0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032319\
 Data File : VW009388.D
 Acq On : 23 Mar 2019 14:12
 Operator : SY/VA
 Sample : K2048-16
 Misc : 6.14G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF0F8

Manual Integrations
 APPROVED

MMDadoda
 3/25/2019 8:33:27 AM

Quant Time: Mar 23 23:30:19 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 23 22:42:53 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) 1,4-Difluorobenzene	8.84	114	381794	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	345969	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	133386	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	102870	22.55	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.20%
7) Chloroethane-d5	2.89	69	106020	19.86	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.44%
10) 1,1-Dichloroethene-d2	4.01	63	168168	17.05	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	68.20%
20) 2-Butanone-d5	7.07	46	81114	42.99	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	85.98%
24) Chloroform-d	7.65	84	250366	24.03	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	96.12%
26) 1,2-Dichloroethane-d4	8.31	65	146646m	23.36	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.44%
29) Benzene-d6	8.27	84	452753	23.73	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.92%
33) 1,2-Dichloropropane-d6	9.27	67	139929	24.42	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	97.68%
37) Toluene-d8	10.32	98	389518	22.08	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.32%
38) trans-1,3-Dichloropropene-	10.58	79	58811	20.43	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.72%
39) 2-Hexanone-d5	10.93	63	58592	42.21	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	84.42%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	124963	22.14	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	88.56%
61) 1,2-Dichlorobenzene-d4	13.86	152	122646	23.98	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	95.92%

Target Compounds

13) Acetone	4.12	43	22612	14.614	ug/L	Ovalue
16) Methylene chloride	4.91	84	11487m	2.063	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed