

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032319\
 Data File : VW009400.D
 Acq On : 23 Mar 2019 20:16
 Operator : SY/VA
 Sample : K2062-16
 Misc : 5.31G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF0H3

Manual Integrations
 APPROVED

MMDadoda
 3/25/2019 8:33:34 AM

Quant Time: Mar 24 00:25:54 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 23 23:52:05 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	168793	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	175464	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	77410	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	42814	21.23	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.92%
7) Chloroethane-d5	2.89	69	45343	19.21	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.84%
10) 1,1-Dichloroethene-d2	4.00	63	71689	16.44	ug/L	-0.02
Spiked Amount	25.000	Range	45 - 110	Recovery	=	65.76%
20) 2-Butanone-d5	7.07	46	66009	79.13	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	158.26%#
24) Chloroform-d	7.65	84	111384	24.18	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	96.72%
26) 1,2-Dichloroethane-d4	8.31	65	75745m	27.30	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	109.20%
29) Benzene-d6	8.27	84	191024	19.74	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	78.96%
33) 1,2-Dichloropropane-d6	9.27	67	66490	22.88	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	91.52%
37) Toluene-d8	10.32	98	160577	17.95	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	71.80%
38) trans-1,3-Dichloropropene-	10.58	79	30289	20.75	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	83.00%
39) 2-Hexanone-d5	10.93	63	52377	74.41	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	148.82%#
48) 1,1,2,2-Tetrachloroethane-	12.69	84	86605	30.26	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	121.04%#
61) 1,2-Dichlorobenzene-d4	13.85	152	73135	24.64	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.56%

Target Compounds

					Ovalue
13) Acetone	4.12	43	3621	5.293 ug/L	69
16) Methylene chloride	4.90	84	4054m	1.647 ug/L	
22) cis-1,2-Dichloroethene	7.16	96	11782	4.977 ug/L	90
35) Trichloroethene	9.09	95	3658	1.429 ug/L	84
47) Tetrachloroethene	10.86	164	2321490	1073.627 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW032319\
Data File : VW009400.D
Acq On : 23 Mar 2019 20:16
Operator : SY/VA
Sample : K2062-16
Misc : 5.31G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BF0H3

Quant Time: Mar 24 00:25:54 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 23 23:52:05 2019
Response via : Initial Calibration

Manual Integrations
APPROVED

MMDadoda
3/25/2019 8:33:34 AM









#13
Acetone
Concen: 5.293 ug/L
RT: 4.12 min Scan# 363
Delta R.T. 0.00 min
Lab File: VW009400.D
Acq: 23 Mar 2019 20:16

Instrument :
MSVOA_W
ClientSampled :
BF0H3

Tot Ion	43	Resp	3621
Ion Ratio	100	Lower	Upper
58	11.7	0.0	56.2




Manual Integrations
APPROVED


MMDadoda
3/25/2019 8:33:34 AM



#16
Methylene chloride
Concen: 1.647 ug/L m
RT: 4.90 min Scan# 491
Delta R.T. -0.02 min
Lab File: VW009400.D
Acq: 23 Mar 2019 20:16

Tgt Ion	84	Resp	4054
Ion Ratio	100	Lower	Upper
49	105.2	96.0	178.2
86	56.9	44.4	82.5





#22





cis-1,2-Dichloroethene
Concen: 4.977 ug/L
RT: 7.16 min Scan# 862
Delta R.T. -0.01 min
Lab File: VW009400.D
Acq: 23 Mar 2019 20:16

Instrument :
MSVOA_W
ClientSampleId :
BF0H3

Tot Ion	Ratio	Lower	Upper
96	100		
61	121.8	90.6	168.3
98	50.3	44.0	81.8

Manual Integrations
APPROVED




MMDadoda
3/25/2019 8:33:34 AM




#35

Trichloroethene
Concen: 1.429 ug/L
RT: 9.09 min Scan# 1179
Delta R.T. 0.01 min
Lab File: VW009400.D
Acq: 23 Mar 2019 20:16

Tgt Ion	Ratio	Lower	Upper
95	100		
97	75.8	44.7	82.9
132	115.1	69.0	128.2
130	120.1	72.7	134.9





#47
 Tetrachloroethene
 Concen: 1073.627 ug/L
 RT: 10.86 min Scan# 1469
 Delta R.T. 0.00 min
 Lab File: VW009400.D
 Acq: 23 Mar 2019 20:16

Instrument :
 MSVOA_W
 ClientSampleId :
 BF0H3

Tot Ion	Ratio	Lower	Upper
164	100		
129	96.1	66.5	123.5
131	91.6	62.6	116.3
166	125.7	91.6	170.0

Manual Integrations
 APPROVED

MMDadoda
 3/25/2019 8:33:34 AM

