

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032319\
 Data File : VW009415.D
 Acq On : 24 Mar 2019 03:06
 Operator : SY/VA
 Sample : VIBLK15
 Misc : 4.92G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK15

Quant Time: Mar 24 04:44:05 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 23 23:52:05 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	383205	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	385134	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	177674	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	100251	21.89	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.56%
7) Chloroethane-d5	2.89	69	107247	20.02	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.08%
10) 1,1-Dichloroethene-d2	4.01	63	157668	15.93	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	63.72%
20) 2-Butanone-d5	7.07	46	95466	50.41	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	100.82%
24) Chloroform-d	7.65	84	249938	23.90	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.60%
26) 1,2-Dichloroethane-d4	8.31	65	163061	25.88	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	103.52%
29) Benzene-d6	8.27	84	462379	21.77	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	87.08%
33) 1,2-Dichloropropane-d6	9.27	67	150147	23.54	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.16%
37) Toluene-d8	10.32	98	424010	21.59	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	86.36%
38) trans-1,3-Dichloropropene-	10.58	79	66244	20.68	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	82.72%
39) 2-Hexanone-d5	10.93	63	71584	46.33	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.66%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	148676	23.66	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	94.64%
61) 1,2-Dichlorobenzene-d4	13.85	152	167094	24.53	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.12%


Target Compounds				Ovalue
16) Methylene chloride	4.91	84	12213m	2.186 ug/L


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW032319\
Data File : VW009415.D
Acq On : 24 Mar 2019 03:06
Operator : SY/VA
Sample : VIBLK15
Misc : 4.92G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK15

Quant Time: Mar 24 04:44:05 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 23 23:52:05 2019
Response via : Initial Calibration





#16

Methylene chloride

Concen: 2.186 ug/L m

RT: 4.91 min Scan# 493

Delta R.T. -0.01 min

Lab File: VW009415.D

Acq: 24 Mar 2019 03:06

Instrument :

MSVOA_W

ClientSampleId :

VIBLK15


Tot Ion: 84 Resp: 12213

Ion Ratio Lower Upper

84 100

49 126.3 96.0 178.2

86 50.5 44.4 82.5



Abundance

Ion 84.00 (83.70 to 84.70): VW

Ion 49.00 (48.70 to 49.70): VW

Ion 86.00 (85.70 to 86.70): VW

