

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032724\
 Data File : VW028252.D
 Acq On : 27 Mar 2024 15:49
 Operator : SY/MD
 Sample : P1886-09
 Misc : 3.59g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E07A8

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 03/28/2024
 Supervised By :Mahesh Dadoda 03/28/2024

Quant Time: Mar 28 01:13:30 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM031424SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Mar 28 01:11:29 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	356523	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	277079	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	89262	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	55412	13.284	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	53.120%		
7) Chloroethane-d5	2.899	69	45374	15.569	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	62.280%		
11) 1,1-Dichloroethene-d2	4.021	65	38804	14.669	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	58.680%		
21) 2-Butanone-d5	7.075	46	50463	41.016	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	82.040%		
24) Chloroform-d	7.648	84	186306	17.722	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	70.880%		
26) 1,2-Dichloroethane-d4	8.307	65	100727m	17.386	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	69.560%#		
32) Benzene-d6	8.276	84	351134	20.757	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	83.040%		
36) 1,2-Dichloropropane-d6	9.270	67	107516	22.085	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	88.360%		
41) Toluene-d8	10.319	98	297113	19.041	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	76.160%		
43) trans-1,3-Dichloroprop...	10.575	79	37626	17.017	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	68.080%		
47) 2-Hexanone-d5	10.922	63	39450	49.025	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	98.040%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	76708	21.331	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	85.320%		
66) 1,2-Dichlorobenzene-d4	13.848	152	67350	20.712	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	82.840%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032724\
Data File : VW028252.D
Acq On : 27 Mar 2024 15:49
Operator : SY/MD
Sample : P1886-09
Misc : 3.59g/10mL/MSVOA_W/SOIL/A
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
E07A8

Quant Time: Mar 28 01:13:30 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM031424SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Mar 28 01:11:29 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 03/28/2024
Supervised By :Mahesh Dadoda 03/28/2024

