

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032824\
 Data File : VW028266.D
 Acq On : 28 Mar 2024 13:30
 Operator : SY/MD
 Sample : P1886-16
 Misc : 4.04g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E07B2

Quant Time: Mar 28 23:33:22 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM031424SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Mar 28 23:31:04 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	367130	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	292151	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	97217	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	59342	13.815	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	55.240%
7) Chloroethane-d5	2.899	69	48884	16.289	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	65.160%
11) 1,1-Dichloroethene-d2	4.021	65	42502	15.603	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	62.400%
21) 2-Butanone-d5	7.075	46	48892	38.591	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	77.180%
24) Chloroform-d	7.648	84	194919	18.005	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	72.040%
26) 1,2-Dichloroethane-d4	8.307	65	102792	17.230	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	68.920%#
32) Benzene-d6	8.276	84	377643	21.172	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	84.680%
36) 1,2-Dichloropropane-d6	9.270	67	113361	22.084	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	88.320%
41) Toluene-d8	10.319	98	322280	19.589	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	78.360%
43) trans-1,3-Dichloroprop...	10.575	79	42710	18.320	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	73.280%
47) 2-Hexanone-d5	10.922	63	37763	44.507	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.020%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	77660	20.481	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	81.920%
66) 1,2-Dichlorobenzene-d4	13.848	152	70517	19.912	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	79.640%
Target Compounds					Qvalue	
13) Acetone	4.131	43	14244	10.126	ug/L	77


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032824\
Data File : VW028266.D
Acq On : 28 Mar 2024 13:30
Operator : SY/MD
Sample : P1886-16
Misc : 4.04g/10mL/MSVOA_W/SOIL/A
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
E07B2

Quant Time: Mar 28 23:33:22 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM031424SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Mar 28 23:31:04 2024
Response via : Initial Calibration





#13
 Acetone
 Concen: 10.126 ug/L
 RT: 4.131 min Scan# 30
 Delta R.T. -0.006 min
 Lab File: VW028266.D
 Acq: 28 Mar 2024 13:30

Instrument :
 MSVOA_W
 ClientSampleId :
 E07B2

Tgt Ion: 43 Resp: 14244
 Ion Ratio Lower Upper
 43 100
 58 16.6 0.0 57.8

