

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032924\
 Data File : VW028279.D
 Acq On : 29 Mar 2024 15:19
 Operator : SY/MD
 Sample : VIBLK420
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK420

Quant Time: Mar 30 01:04:15 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM031424SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Mar 30 00:57:23 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	237522	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	216696	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	106969	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	46520	16.739	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	66.960%
7) Chloroethane-d5	2.899	69	38852	20.010	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.040%
11) 1,1-Dichloroethene-d2	4.021	65	30613	17.371	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	69.480%
21) 2-Butanone-d5	7.075	46	43965	53.637	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	107.280%
24) Chloroform-d	7.648	84	159735	22.807	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.240%
26) 1,2-Dichloroethane-d4	8.307	65	88334	22.886	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	91.560%
32) Benzene-d6	8.270	84	304653	23.027	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.120%
36) 1,2-Dichloropropane-d6	9.270	67	95092	24.976	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	99.920%
41) Toluene-d8	10.319	98	264976	21.714	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	86.840%
43) trans-1,3-Dichloroprop...	10.575	79	37530	21.703	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	86.800%
47) 2-Hexanone-d5	10.922	63	34595	54.971	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	109.940%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	76534	27.213	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	108.840%
66) 1,2-Dichlorobenzene-d4	13.848	152	92609	23.766	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	95.080%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032924\
Data File : VW028279.D
Acq On : 29 Mar 2024 15:19
Operator : SY/MD
Sample : VIBLK420
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK420

Quant Time: Mar 30 01:04:15 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM031424SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Mar 30 00:57:23 2024
Response via : Initial Calibration

