

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040324\
 Data File : VW028301.D
 Acq On : 03 Apr 2024 18:20
 Operator : SY/MD
 Sample : P1965-04RE
 Misc : 5.64g/10mL/MSVOA_W/SOIL/B
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E07D6RE

Quant Time: Apr 04 03:05:59 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM031424SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Apr 04 03:01:50 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	130253	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	120125	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	51237	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.357	65	23715	15.561	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	62.240%
7) Chloroethane-d5	2.899	69	18556	17.427	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	69.720%
11) 1,1-Dichloroethene-d2	4.021	65	14319	14.816	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	59.280%
21) 2-Butanone-d5	7.075	46	21082	46.902	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	93.800%
24) Chloroform-d	7.648	84	65542	17.065	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	68.240%
26) 1,2-Dichloroethane-d4	8.307	65	39052	18.450	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	73.800%
32) Benzene-d6	8.276	84	127264	17.352	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	69.400%
36) 1,2-Dichloropropane-d6	9.276	67	40707	19.287	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	77.160%
41) Toluene-d8	10.319	98	109843	16.237	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	64.960%
43) trans-1,3-Dichloroprop...	10.581	79	15062	15.713	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	62.840%
47) 2-Hexanone-d5	10.922	63	15560	44.601	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.200%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	36704	23.542	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	94.160%
66) 1,2-Dichlorobenzene-d4	13.848	152	36380	19.491	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	77.960%
Target Compounds					Qvalue	
13) Acetone	4.137	43	1943	3.893	ug/L	76


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040324\
Data File : VW028301.D
Acq On : 03 Apr 2024 18:20
Operator : SY/MD
Sample : P1965-04RE
Misc : 5.64g/10mL/MSVOA_W/SOIL/B
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
E07D6RE

Quant Time: Apr 04 03:05:59 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM031424SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Apr 04 03:01:50 2024
Response via : Initial Calibration





#13
 Acetone
 Concen: 3.893 ug/L
 RT: 4.137 min Scan# 30
 Delta R.T. 0.012 min
 Lab File: VW028301.D
 Acq: 03 Apr 2024 18:20

Instrument : MSVOA_W
 ClientSampleId : E07D6RE

Tgt Ion: 43 Resp: 1943

Ion	Ratio	Lower	Upper
43	100		
58	15.9	0.0	57.8

