

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040422\
 Data File : VW022390.D
 Acq On : 04 Apr 2022 16:40
 Operator : SY/VA
 Sample : N2179-04RE
 Misc : 4.43g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0R43

Quant Time: Apr 05 01:57:20 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040122SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Apr 05 01:44:25 2022
 Response via : Initial Calibration

Compound		R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards							
1) 1,4-Difluorobenzene		8.841	114	208439	25.000	ug/L	# 0.00
28) Chlorobenzene-d5		11.633	117	190379	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4		13.554	152	76469	25.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3		2.355	65	103329	30.248	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	121.000%	
7) Chloroethane-d5		2.885	69	74717	36.637	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	146.560%	
11) 1,1-Dichloroethene-d2		4.019	63	92138	18.178	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	72.720%	
21) 2-Butanone-d5		7.073	46	49403	59.185	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	118.360%	
24) Chloroform-d		7.646	84	149523	25.727	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	102.920%	
26) 1,2-Dichloroethane-d4		8.469	65	87	0.025	ug/L	0.16
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.120%#	
32) Benzene-d6		8.274	84	311203	29.768	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	119.080%	
36) 1,2-Dichloropropane-d6		9.274	67	93470	29.781	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	119.120%	
41) Toluene-d8		10.323	98	293936	29.553	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	118.200%	
43) trans-1,3-Dichloroprop...		10.579	79	40917	25.925	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	103.680%	
47) 2-Hexanone-d5		10.920	63	43478	67.625	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	135.260%#	
56) 1,1,2,2-Tetrachloroeth...		12.688	84	80895	30.552	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	122.200%#	
66) 1,2-Dichlorobenzene-d4		13.853	152	71083	28.795	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	115.200%	
Target Compounds							
13) Acetone		4.123	43	22472	39.315	ug/L	Qvalue 96
22) 2-Butanone		7.171	43	9587	10.633	ug/L	77


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040422\
Data File : VW022390.D
Acq On : 04 Apr 2022 16:40
Operator : SY/VA
Sample : N2179-04RE
Misc : 4.43g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0R43

Quant Time: Apr 05 01:57:20 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040122SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Apr 05 01:44:25 2022
Response via : Initial Calibration









#13
Acetone
Concen: 39.315 ug/L
RT: 4.123 min Scan# 30
Delta R.T. -0.006 min
Lab File: VW022390.D
Acq: 04 Apr 2022 16:40

Instrument :
MSVOA_W
ClientSampleId :
C0R43

Tgt Ion: 43 Resp: 22472
Ion Ratio Lower Upper
43 100
58 32.2 0.0 69.2



#22
2-Butanone
Concen: 10.633 ug/L
RT: 7.171 min Scan# 864
Delta R.T. -0.000 min
Lab File: VW022390.D
Acq: 04 Apr 2022 16:40

Tgt Ion: 43 Resp: 9587
Ion Ratio Lower Upper
43 100
72 20.6 17.0 51.0

