

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW040519\
 Data File : VW009736.D
 Acq On : 05 Apr 2019 16:51
 Operator : SY/VA
 Sample : K2101-10
 Misc : 5.06G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Quant Time: Apr 06 04:44:12 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Apr 06 03:51:49 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	395291	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	382743	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	170435	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	109586	21.19	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.76%
7) Chloroethane-d5	2.89	69	105131	22.18	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.72%
10) 1,1-Dichloroethene-d2	4.01	63	194641	17.50	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	70.00%
20) 2-Butanone-d5	7.08	46	103378	61.55	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	123.10%
24) Chloroform-d	7.65	84	254622	23.61	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	94.44%
26) 1,2-Dichloroethane-d4	8.31	65	166411	25.13	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	100.52%
29) Benzene-d6	8.27	84	466514	23.22	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.88%
33) 1,2-Dichloropropane-d6	9.27	67	146697	23.64	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.56%
37) Toluene-d8	10.32	98	416561	22.42	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	89.68%
38) trans-1,3-Dichloropropene-	10.57	79	64655	21.84	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	87.36%
39) 2-Hexanone-d5	10.92	63	63623	54.39	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	108.78%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	152582	26.45	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	105.80%
61) 1,2-Dichlorobenzene-d4	13.85	152	155162	25.94	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	103.76%

Target Compounds					Ovalue
13) Acetone	4.12	43	4506	2.504 ug/L	77
16) Methylene chloride	4.92	84	12521	1.796 ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW040519\
Data File : VW009736.D
Acq On : 05 Apr 2019 16:51
Operator : SY/VA
Sample : K2101-10
Misc : 5.06G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK01

Quant Time: Apr 06 04:44:12 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 06 03:51:49 2019
Response via : Initial Calibration

