

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW040519\
 Data File : VW009711.D
 Acq On : 05 Apr 2019 04:47
 Operator : SY/VA
 Sample : K2276-09
 Misc : 5.72G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF136

Manual Integrations
 APPROVED

MMDadoda
 4/8/2019 3:32:46 AM

Quant Time: Apr 05 07:42:09 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 05 05:32:00 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	398123	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	388865	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	163322	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	127448	24.46	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	97.84%
7) Chloroethane-d5	2.89	69	112881	23.65	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	94.60%
10) 1,1-Dichloroethene-d2	4.01	63	215622	19.25	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	77.00%
20) 2-Butanone-d5	7.07	46	71475	42.26	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	84.52%
24) Chloroform-d	7.65	84	267441	24.62	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	98.48%
26) 1,2-Dichloroethane-d4	8.30	65	164717	24.70	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	98.80%
29) Benzene-d6	8.27	84	500448	24.52	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	98.08%
33) 1,2-Dichloropropane-d6	9.27	67	152323	24.16	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	96.64%
37) Toluene-d8	10.32	98	446116	23.64	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	94.56%
38) trans-1,3-Dichloropropene-	10.57	79	63615	21.15	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	84.60%
39) 2-Hexanone-d5	10.93	63	49116	41.33	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	82.66%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	124135	21.18	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	84.72%
61) 1,2-Dichlorobenzene-d4	13.85	152	153804	26.84	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	107.36%

Target Compounds					Ovalue
16) Methylene chloride	4.92	84	11142m	1.587	ug/L
47) Tetrachloroethene	10.86	164	132119	27.397	ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW040519\
Data File : VW009711.D
Acq On : 05 Apr 2019 04:47
Operator : SY/VA
Sample : K2276-09
Misc : 5.72G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleID :
BF136

Manual Integrations
APPROVED

MMDadoda
4/8/2019 3:32:46 AM

Quant Time: Apr 05 07:42:09 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 05 05:32:00 2019
Response via : Initial Calibration









#16
Methvlene chloride
Concen: 1.587 ug/L m
RT: 4.92 min Scan# 495
Delta R.T. 0.01 min
Lab File: VW009711.D
Acq: 05 Apr 2019 04:47

Instrument :
MSVOA_W
ClientSampled :
BF136

Tot Ion	84	Resp	11142
Ion Ratio	Lower	Upper	
84	100		
49	127.4	98.3	182.5
86	52.2	46.4	86.2

Manual Integrations
APPROVED

MMDadoda
4/8/2019 3:32:46 AM



#47
Tetrachloroethene
Concen: 27.397 ug/L
RT: 10.86 min Scan# 1469
Delta R.T. 0.00 min
Lab File: VW009711.D
Acq: 05 Apr 2019 04:47

Tgt Ion	164	Resp	132119
Ion Ratio	Lower	Upper	
164	100		
129	96.4	68.9	127.9
131	90.4	63.1	117.1
166	129.8	88.5	164.4

