

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040822\
 Data File : VW022451.D
 Acq On : 08 Apr 2022 09:27
 Operator : SY/VA
 Sample : VW0408SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK475

Manual Integrations
 APPROVED

Reviewed By :Semsettin
 Yesilyurt
 04/11/2022

Supervised By :Mahesh
 Dadoda
 04/11/2022

Quant Time: Apr 11 07:44:57 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Apr 08 23:31:17 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	336390	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	326846	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	164306	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	175023	23.535	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	94.160%
7) Chloroethane-d5	2.892	69	110013	23.605	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	94.400%
11) 1,1-Dichloroethene-d2	4.019	63	179844	18.646	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	74.600%
21) 2-Butanone-d5	7.074	46	69624	53.626	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	107.260%
24) Chloroform-d	7.653	84	265341	25.236	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	100.960%
26) 1,2-Dichloroethane-d4	8.305	65	159298m	26.516	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	106.080%
32) Benzene-d6	8.275	84	509909	25.535	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	102.160%
36) 1,2-Dichloropropane-d6	9.275	67	152498	26.389	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	105.560%
41) Toluene-d8	10.323	98	481924	24.641	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	98.560%
43) trans-1,3-Dichloroprop...	10.573	79	67793	24.857	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	99.440%
47) 2-Hexanone-d5	10.921	63	57861	53.816	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	107.640%
56) 1,1,2,2-Tetrachloroeth...	12.689	84	124370	25.311	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	101.240%
66) 1,2-Dichlorobenzene-d4	13.853	152	153858	26.437	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	105.760%
Target Compounds					Qvalue	
13) Acetone	4.129	43	4095	4.632	ug/L	71

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040822\
Data File : VW022451.D
Acq On : 08 Apr 2022 09:27
Operator : SY/VA
Sample : VW0408SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
VBLK475


Quant Time: Apr 11 07:44:57 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Apr 08 23:31:17 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By : Semsettin
Yesilyurt
04/11/2022


Supervised By : Mahesh
Dadoda
04/11/2022





#13
Acetone
Concen: 4.632 ug/L
RT: 4.129 min Scan# 30
Delta R.T. 0.006 min
Lab File: VW022451.D
Acq: 08 Apr 2022 09:27

Instrument :
MSVOA_W
ClientSampleId :
VBLK475



Tgt Ion: 43 Resp: 409
Ion Ratio Lower Upper
43 100
58 13.0 0.0 57.0

Manual Integrations
APPROVED

Reviewed By :Semsettin
Yesilyurt
04/11/2022
Supervised By :Mahesh
Dadoda
04/11/2022

