

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041124\
 Data File : VW028413.D
 Acq On : 11 Apr 2024 19:00
 Operator : SY/MD
 Sample : P2078-10
 Misc : 3.76g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AC7

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 04/12/2024
 Supervised By :Mahesh Dadoda 04/13/2024

Quant Time: Apr 12 01:01:33 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Apr 12 00:55:02 2024
 Response via : Initial Calibration

Compound		R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene		8.843	114	431846	25.000	ug/L	0.00
28) Chlorobenzene-d5		11.629	117	357521	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4		13.556	152	111347	25.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3		2.350	65	186487	26.937	ug/L	-0.02
Spiked Amount	25.000	Range	30 - 150	Recovery	= 107.760%		
7) Chloroethane-d5		2.887	69	139776	26.638	ug/L	-0.02
Spiked Amount	25.000	Range	30 - 150	Recovery	= 106.560%		
11) 1,1-Dichloroethene-d2		4.009	65	66925	22.827	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	= 91.320%		
21) 2-Butanone-d5		7.099	46	77118	59.527	ug/L	0.02
Spiked Amount	50.000	Range	20 - 135	Recovery	= 119.060%		
24) Chloroform-d		7.648	84	273703	24.289	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	= 97.160%		
26) 1,2-Dichloroethane-d4		8.307	65	166437	28.421	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	= 113.680%		
32) Benzene-d6		8.270	84	552610	28.294	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	= 113.160%		
36) 1,2-Dichloropropane-d6		9.270	67	171206	29.490	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	= 117.960%		
41) Toluene-d8		10.318	98	468992	26.407	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	= 105.640%		
43) trans-1,3-Dichloroprop...		10.574	79	62822	27.214	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	= 108.840%		
47) 2-Hexanone-d5		10.922	63	54250	67.461	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	= 134.920%		
56) 1,1,2,2-Tetrachloroeth...		12.690	84	123575	30.169	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	= 120.680%#		
66) 1,2-Dichlorobenzene-d4		13.848	152	102573	29.129	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	= 116.520%		
Target Compounds							Qvalue
13) Acetone		4.185	43	19147m	12.037	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041124\
Data File : VW028413.D
Acq On : 11 Apr 2024 19:00
Operator : SY/MD
Sample : P2078-10
Misc : 3.76g/10mL/MSVOA_W/SOIL/A
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
C0AC7

Quant Time: Apr 12 01:01:33 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040824SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Apr 12 00:55:02 2024
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 04/12/2024
Supervised By :Mahesh Dadoda 04/13/2024





#13
 Acetone
 Concen: 12.037 ug/L m
 RT: 4.185 min Scan# 31
 Delta R.T. 0.061 min
 Lab File: VW028413.D
 Acq: 11 Apr 2024 19:00

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AC7



Tgt Ion: 43 Resp: 1914
 Ion Ratio Lower Upper
 43 100
 58 14.2 0.0 53.4

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 04/12/2024
 Supervised By :Mahesh Dadoda 04/13/2024

