

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041224\
 Data File : VW028424.D
 Acq On : 12 Apr 2024 12:28
 Operator : SY/MD
 Sample : P2078-01RE
 Misc : 4.65g/10mL/MSVOA_W/SOIL/B
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Apr 12 23:13:36 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Apr 12 23:09:31 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	529855	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	409964	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	153637	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	199720	23.512	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	94.040%
7) Chloroethane-d5	2.899	69	158949	24.689	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	98.760%
11) 1,1-Dichloroethene-d2	4.021	65	82316	22.883	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	91.520%
21) 2-Butanone-d5	7.081	46	72034	45.318	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	90.640%
24) Chloroform-d	7.654	84	328279	23.743	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	94.960%
26) 1,2-Dichloroethane-d4	8.392	65	225	0.031	ug/L	0.09
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.120%#
32) Benzene-d6	8.276	84	658737	29.413	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	117.640%
36) 1,2-Dichloropropane-d6	9.270	67	194762	29.256	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	117.040%
41) Toluene-d8	10.319	98	552273	27.119	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	108.480%
43) trans-1,3-Dichloroprop...	10.575	79	70207	26.523	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	106.080%
47) 2-Hexanone-d5	10.922	63	48796	52.916	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	105.840%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	112175	23.883	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	95.520%
66) 1,2-Dichlorobenzene-d4	13.848	152	120224	24.744	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.960%
Target Compounds					Qvalue	
48) 2-Hexanone	10.922	43	7266	2.737	ug/L #	67


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041224\
Data File : VW028424.D
Acq On : 12 Apr 2024 12:28
Operator : SY/MD
Sample : P2078-01RE
Misc : 4.65g/10mL/MSVOA_W/SOIL/B
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :


Quant Time: Apr 12 23:13:36 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040824SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Apr 12 23:09:31 2024
Response via : Initial Calibration





#48
 2-Hexanone
 Concen: 2.737 ug/L
 RT: 10.922 min Scan# 14
 Delta R.T. -0.043 min
 Lab File: VW028424.D
 Acq: 12 Apr 2024 12:28

Instrument :
 MSVOA_W
 ClientSampleId :



Tgt Ion: 43	Resp:	7266
Ion	Ratio	Lower Upper
43	100	
58	21.4	38.9 58.3#
57	26.3	14.4 21.6#
100	0.9	8.7 13.1#

