

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041322\
 Data File : VW022526.D
 Acq On : 13 Apr 2022 12:53
 Operator : SY/VA
 Sample : N2374-02RE
 Misc : 5.40g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFFD5RE

Quant Time: Apr 14 01:32:25 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Apr 14 01:27:44 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	313495	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	257048	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	90944	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	115844	16.715	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	66.880%
7) Chloroethane-d5	2.885	69	83209	19.157	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.640%
11) 1,1-Dichloroethene-d2	4.019	63	119634	13.309	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	53.240%
21) 2-Butanone-d5	7.080	46	92463	76.418	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	152.840%#
24) Chloroform-d	7.653	84	223216	22.780	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.120%
26) 1,2-Dichloroethane-d4	8.421	65	215	0.038	ug/L	0.12
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.160%#
32) Benzene-d6	8.275	84	392650	25.002	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	100.000%
36) 1,2-Dichloropropane-d6	9.274	67	126575	27.851	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	111.400%
41) Toluene-d8	10.323	98	328393	21.351	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	85.400%
43) trans-1,3-Dichloroprop...	10.579	79	49557	23.105	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	92.400%
47) 2-Hexanone-d5	10.921	63	73125	86.481	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	172.960%#
56) 1,1,2,2-Tetrachloroeth...	12.689	84	123115	31.859	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	127.440%#
66) 1,2-Dichlorobenzene-d4	13.847	152	74238	23.046	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	92.200%
Target Compounds						Qvalue
13) Acetone	4.129	43	7890	9.577	ug/L	70
39) cis-1,3-Dichloropropene	10.030	75	4815	0.726	ug/L #	77


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041322\
Data File : VW022526.D
Acq On : 13 Apr 2022 12:53
Operator : SY/VA
Sample : N2374-02RE
Misc : 5.40g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BFFD5RE

Quant Time: Apr 14 01:32:25 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Apr 14 01:27:44 2022
Response via : Initial Calibration









#13
Acetone
Concen: 9.577 ug/L
RT: 4.129 min Scan# 30
Delta R.T. 0.006 min
Lab File: VW022526.D
Acq: 13 Apr 2022 12:53

Instrument :
MSVOA_W
ClientSampleId :
BFFD5RE

Tgt Ion: 43 Resp: 7890
Ion Ratio Lower Upper
43 100
58 12.5 0.0 57.0



#39
cis-1,3-Dichloropropene
Concen: 0.726 ug/L
RT: 10.030 min Scan# 1333
Delta R.T. -0.036 min
Lab File: VW022526.D
Acq: 13 Apr 2022 12:53

Tgt Ion: 75 Resp: 4815
Ion Ratio Lower Upper
75 100
77 44.9 22.6 42.0#

