

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041824\
 Data File : VW028479.D
 Acq On : 18 Apr 2024 12:00
 Operator : SY/MD
 Sample : VIBLK430
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK430

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 04/19/2024
 Supervised By :Mahesh Dadoda 04/19/2024

Quant Time: Apr 19 04:57:51 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Apr 18 02:19:47 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	306597	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	287779	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	135120	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	89751	18.260	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	73.040%		
7) Chloroethane-d5	2.905	69	72413	19.438	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	77.760%		
11) 1,1-Dichloroethene-d2	4.021	65	38659	18.573	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	74.280%		
21) 2-Butanone-d5	7.075	46	53061	57.689	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	115.380%		
24) Chloroform-d	7.648	84	176949	22.117	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	88.480%		
26) 1,2-Dichloroethane-d4	8.307	65	103693m	24.940	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	99.760%		
32) Benzene-d6	8.276	84	342126	21.762	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	87.040%		
36) 1,2-Dichloropropane-d6	9.270	67	106422	22.774	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	91.080%		
41) Toluene-d8	10.319	98	300811	21.042	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	84.160%		
43) trans-1,3-Dichloroprop...	10.575	79	40578	21.838	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	87.360%		
47) 2-Hexanone-d5	10.922	63	34360	53.082	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	106.160%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	86897	26.356	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	105.440%		
66) 1,2-Dichlorobenzene-d4	13.848	152	101905	23.847	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	95.400%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041824\
Data File : VW028479.D
Acq On : 18 Apr 2024 12:00
Operator : SY/MD
Sample : VIBLK430
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK430

Quant Time: Apr 19 04:57:51 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040824SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Apr 18 02:19:47 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 04/19/2024
Supervised By :Mahesh Dadoda 04/19/2024

