

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW041919\
 Data File : VW010071.D
 Acq On : 19 Apr 2019 18:09
 Operator : SY/VA
 Sample : K2455-20
 Misc : 5.09G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GAHS0

Quant Time: Apr 20 05:56:10 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM041519S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Apr 20 03:50:46 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	735272	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	679374	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	288733	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	148271	21.34	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.36%
7) Chloroethane-d5	2.89	69	131972	18.75	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	75.00%
10) 1,1-Dichloroethene-d2	4.01	63	311241	16.15	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	64.60%
20) 2-Butanone-d5	7.08	46	149349	39.73	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	79.46%
24) Chloroform-d	7.64	84	459029	21.59	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	86.36%
26) 1,2-Dichloroethane-d4	8.30	65	275836	20.91	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	83.64%
29) Benzene-d6	8.27	84	886020	23.73	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.92%
33) 1,2-Dichloropropane-d6	9.27	67	282551	23.76	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.04%
37) Toluene-d8	10.32	98	783393	23.00	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.00%
38) trans-1,3-Dichloropropene-	10.58	79	114925	20.38	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.52%
39) 2-Hexanone-d5	10.93	63	117305	44.52	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.04%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	218712	19.66	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	78.64%
61) 1,2-Dichlorobenzene-d4	13.86	152	248959	22.94	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	91.76%

Target Compounds

					Ovalue
13) Acetone	4.12	43	24901	7.450 ug/L	99
15) Methyl Acetate	4.68	43	11099	1.645 ug/L #	71
16) Methylene chloride	4.92	84	51969	3.904 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW041919\
Data File : VW010071.D
Acq On : 19 Apr 2019 18:09
Operator : SY/VA
Sample : K2455-20
Misc : 5.09G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GAHS0

Quant Time: Apr 20 05:56:10 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM041519S.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 20 03:50:46 2019
Response via : Initial Calibration

